

North Fork Reloading Data



9,3x74R

Safety information when handloading

North Fork disclaims all liability for any damages which may result from handloading since individual handloading procedures are beyond our control. Handloading may only be performed by qualified adults. Careless or incorrect handloading can result in severe personal injury or even death. Handloading should only be performed after thorough instruction. Our stated loads are only examples of loads that we have tried in our own rifles. *Always reference officially published data from powder manufacturers and start off using starting loads, step loads up carefully and conservatively. Reduce loads at the first signs off excessive pressure. North Fork recommends that all handloaders use a chronograph.*

Test firearm:

Barrel length: 24" (61cm)

Primer: CCI 200

Case: Norma

North Fork Semi Spitzer (SS)

Bullet diameter: .366"

Max COL: 3.65" (92,7mm)

Bullet Weight (gr)	Powder	Minimum Charge (gr)	Velocity (FPS)	Velocity (M/S)	Maximum Charge (gr)	Velocity (FPS)	Velocity (M/S)
286	Varget	50	2 100	640	55	2 365	721
286	IMR 4064	50	2 200	671	53.5	2 325	709
286	VV N140	51	2 170	661	55	2 200	671