

IMPORTANT - READ CAREFULLY - RETAIN FOR FUTURE REFERENCE

All assembly fastenings should always be tightened properly and that care should be taken that no fittings are loose.

Maximum thickness of the mattress: 140mm, referred to maximum thickness marking on bed.

Recommended size of the mattress: 800mm x 2000mm x 120mm


Bunk bed or high bed should not be used if any structural part is broken or missing.

Children can strangle in items such as ropes, strings, cords, harnesses and belts attached to or hung on a bunk bed/high bed.


WARNING: Children can become trapped between the bed and the wall. To avoid risk of serious injury the distance between the top safety barrier and the wall shall not exceed 75 mm nor shall be more than 230 mm.

WARNING: High beds and the upper bed of bunk beds are not suitable for children under six years due to the risk of injury from falls.


EN 747-1:2012



1.



2.





IMPORTANT - READ CAREFULLY - RETAIN FOR FUTURE REFERENCE

All assembly fastenings should always be tightened properly and that care should be taken that no fittings are loose.

Maximum thickness of the mattress: 140mm, referred to maximum thickness marking on bed.

Recommended size of the mattress: 800mm x 2000mm x 120mm



Bunk bed or high bed should not be used if any structural part is broken or missing.

Children can strangle in items such as ropes, strings, cords, harnesses and belts attached to or hung on a bunk bed/high bed.

WARNING: Children can become trapped between the bed and the wall. To avoid risk of serious injury the distance between the top safety barrier and the wall shall not exceed 75 mm nor shall be more than 230 mm.


WARNING: High beds and the upper bed of bunk beds are not suitable for children under six years due to the risk of injury from falls.

EN 747-1:2012





4.





5.

