



World's Finest Products For Harley-Davidsons

# SAFETY DATA SHEET

## *LOCTITE 243*

**DE:** Sicherheitsdatenblatt in englischer und deutscher Sprache. Weitere Sprachen\* findest Du im Dealer Store am jeweiligen Artikel in den Dokumenten.

**EN:** Safety Data Sheet in English and German. Further languages\* can be found in the Dealer Store in the documents for the respective part number.

**FR:** Fiche de données de sécurité en anglais et en allemand. D'autres langues\* sont disponibles dans le Dealer Store dans les documents correspondant à la référence respective.

**IT:** Scheda di sicurezza in inglese e tedesco. Altre lingue\* possono essere trovate nel Dealer Store nei documenti per il rispettivo numero di parte.

**ES:** Hoja de datos de seguridad en inglés y alemán. Encontrará más idiomas\* en la tienda del distribuidor en los documentos del número de pieza correspondiente.

\*DE, EN, FR, IT, ES, BG, CZ, DK, EE, FI, GR, HR, HU, LT, LV, NL, NO, PL, PT, RO, SE, SI, SK



# Safety Data Sheet according to (EC) No 1907/2006 as amended

Page 1 of 25

LOCTITE 243

SDS No. : 316211  
V015.0

Revision: 14.05.2024

printing date: 15.05.2024

Replaces version from: 27.03.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

LOCTITE 243

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:  
Adhesive

### 1.3. Details of the supplier of the safety data sheet

Henkel Ltd  
Adhesives  
Wood Lane End  
HP2 4RQ Hemel Hempstead

Great Britain

Phone: +44 (1442) 278000

SDSinfo.Adhesive@henkel.com

For Safety Data Sheet updates please visit our website [www.mysds.henkel.com](http://www.mysds.henkel.com) or [www.henkel-adhesives.com](http://www.henkel-adhesives.com).

### 1.4. Emergency telephone number

24 Hours Emergency Tel: +44 (0)1442 278497

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification (CLP):

Skin sensitizer	Category 1
H317 May cause an allergic skin reaction.	
Chronic hazards to the aquatic environment	Category 3
H412 Harmful to aquatic life with long lasting effects.	

### 2.2. Label elements

#### Label elements (CLP):

#### Hazard pictogram:



Contains

Tetramethylene dimethacrylate

---

	maleic acid
	Acetic acid, 2-phenylhydrazide
<b>Signal word:</b>	Warning
<b>Hazard statement:</b>	H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects.
<b>Precautionary statement:</b>	"***" ***For consumer use only: P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P501 Dispose of contents/container in accordance with national regulation.***
<b>Precautionary statement: Prevention</b>	P273 Avoid release to the environment. P280 Wear protective gloves.
<b>Precautionary statement: Response</b>	P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

### 2.3. Other hazards

None if used properly.

**Following substances are present in a concentration  $\geq$  the concentration limit for depiction in Section 3 and fulfill the criteria for PBT/vPvB, or were identified as endocrine disruptor (ED):**

This mixture does not contain any substances in a concentration  $\geq$  the concentration limit for depiction in Section 3 that are assessed to be a PBT, vPvB or ED.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

**Declaration of the ingredients according to CLP (EC) No 1272/2008:**

<b>Hazardous components CAS-No. EC Number REACH-Reg No.</b>	<b>Concentration</b>	<b>Classification</b>	<b>Specific Conc. Limits, M-factors and ATEs</b>	<b>Add. Information</b>
Tetramethylene dimethacrylate 2082-81-7 218-218-1 01-2119967415-30	25- 50 %	Skin Sens. 1B, H317		
2,4,6-Triallyloxy-s-triazine 101-37-1 202-936-7 01-2119489756-17	5- < 10 %	Acute Tox. 4, Oral, H302 Aquatic Chronic 2, H411		
2-[[2,2-bis[[1-(1-oxoallyl)oxy]methyl]butoxy]methyl]-2-ethyl-1,3-propanediyl diacrylate 94108-97-1 302-434-9	1- < 5 %	Eye Irrit. 2, H319 Aquatic Chronic 2, H411		
Cumene hydroperoxide 80-15-9 201-254-7 01-2119475796-19	0,1- < 1 %	STOT RE 2, H373 Skin Corr. 1B, H314 Acute Tox. 2, Inhalation, H330 Aquatic Chronic 2, H411 Acute Tox. 4, Oral, H302 Acute Tox. 4, Dermal, H312 Org. Perox. E, H242 STOT SE 3, H335	Eye Irrit. 2; H319; C 1 - < 3 % Skin Irrit. 2; H315; C 3 - < 10 % Eye Dam. 1; H318; C 3 - < 10 % STOT SE 3; H335; C >= 1 % Skin Corr. 1B; H314; C >= 10 % ===== dermal:ATE = 1.100 mg/kg	
maleic acid 110-16-7 203-742-5 01-2119488705-25	0,1- < 1 %	Acute Tox. 4, Oral, H302 Eye Irrit. 2, H319 STOT SE 3, H335 Skin Irrit. 2, H315 Skin Sens. 1, H317 Acute Tox. 4, Dermal, H312	Skin Sens. 1; H317; C >= 0,1 %	
Acetic acid, 2-phenylhydrazide 114-83-0 204-055-3 01-2120951382-56	0,1- < 1 %	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Acute Tox. 4, Oral, H302 Skin Sens. 1, H317 Carc. 2, H351	M acute = 1 M chronic = 1	
methacrylic acid 79-41-4 201-204-4 01-2119463884-26	0,1- < 1 %	Acute Tox. 4, Oral, H302 Acute Tox. 3, Dermal, H311 Acute Tox. 4, Inhalation, H332 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335	STOT SE 3; H335; C >= 1 % ===== dermal:ATE = 500 mg/kg inhalation:ATE = 3,19 mg/l;dust/mist	
1,4-Naphthalenedione 130-15-4 204-977-6	0,0025- < 0,025 % ( 25 ppm- < 250 ppm)	Acute Tox. 3, Oral, H301 Skin Corr. 1C, H314 Skin Sens. 1, H317 Eye Dam. 1, H318 Acute Tox. 1, Inhalation, H330 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	M acute = 10 M chronic = 1	

If no ATE values are displayed, please refer to LD/LC50 values in Section 11.  
For full text of the H - statements and other abbreviations see section 16 "Other information".

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**Inhalation:**

Move to fresh air. If symptoms persist, seek medical advice.

**Skin contact:**

Rinse with running water and soap.

Obtain medical attention if irritation persists.

**Eye contact:**

Rinse immediately with plenty of running water (for 10 minutes), seek medical attention from a specialist.

**Ingestion:**

Rinse mouth, drink 1-2 glasses of water, do not induce vomiting, consult a doctor.

**4.2. Most important symptoms and effects, both acute and delayed**

SKIN: Rash, Urticaria.

Prolonged or repeated contact may cause eye irritation.

**4.3. Indication of any immediate medical attention and special treatment needed**

See section: Description of first aid measures

## SECTION 5: Firefighting measures

**5.1. Extinguishing media**

**Suitable extinguishing media:**

water, carbon dioxide, foam, powder

**Extinguishing media which must not be used for safety reasons:**

High pressure waterjet

**5.2. Special hazards arising from the substance or mixture**

In the event of a fire, carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>) and nitrogen oxides (NO<sub>x</sub>) can be released.

**5.3. Advice for firefighters**

Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

**Additional information:**

In case of fire, keep containers cool with water spray.

## SECTION 6: Accidental release measures

**6.1. Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin and eyes.

Wear protective equipment.

Ensure adequate ventilation.

Keep away from sources of ignition.

**6.2. Environmental precautions**

Do not empty into drains / surface water / ground water.

**6.3. Methods and material for containment and cleaning up**

Dispose of contaminated material as waste according to Section 13.

For small spills wipe up with paper towel and place in container for disposal.

For large spills absorb onto inert absorbent material and place in sealed container for disposal.

**6.4. Reference to other sections**

See advice in section 8

## SECTION 7: Handling and storage

**7.1. Precautions for safe handling**

Avoid skin and eye contact.  
See advice in section 8

Hygiene measures:

Good industrial hygiene practices should be observed.  
Do not eat, drink or smoke while working.  
Wash hands before work breaks and after finishing work.

**7.2. Conditions for safe storage, including any incompatibilities**

Ensure good ventilation/extraction.  
Refer to Technical Data Sheet.

**7.3. Specific end use(s)**

Adhesive

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Occupational Exposure Limits**

Valid for  
Great Britain

Ingredient [Regulated substance]	ppm	mg/m <sup>3</sup>	Value type	Short term exposure limit category / Remarks	Regulatory list
Silane, dichlorodimethyl-, reaction products with silica 7631-86-9 [SILICA, AMORPHOUS, RESPIRABLE DUST]		2,4	Time Weighted Average (TWA):		EH40 WEL
Silane, dichlorodimethyl-, reaction products with silica 7631-86-9 [SILICA, AMORPHOUS, INHALABLE DUST]		6	Time Weighted Average (TWA):		EH40 WEL
Silane, dichlorodimethyl-, reaction products with silica 7631-86-9 [Dust, inhalable dust]		10	Time Weighted Average (TWA):		EH40 WEL
Silane, dichlorodimethyl-, reaction products with silica 7631-86-9 [Dust, respirable dust]		4	Time Weighted Average (TWA):		EH40 WEL
Ethene, homopolymer 9002-88-4 [DUST, INHALABLE DUST]		10	Time Weighted Average (TWA):		EH40 WEL
Ethene, homopolymer 9002-88-4 [DUST, RESPIRABLE DUST]		4	Time Weighted Average (TWA):		EH40 WEL
Propane-1,2-diol 57-55-6 [PROPANE-1,2-DIOL, PARTICULATES]		10	Time Weighted Average (TWA):		EH40 WEL
Propane-1,2-diol 57-55-6 [PROPANE-1,2-DIOL, TOTAL VAPOUR AND PARTICULATES]	150	474	Time Weighted Average (TWA):		EH40 WEL
Methacrylic acid 79-41-4 [METHACRYLIC ACID]	20	72	Time Weighted Average (TWA):		EH40 WEL
Methacrylic acid 79-41-4 [METHACRYLIC ACID]	40	143	Short Term Exposure Limit (STEL):	15 minutes	EH40 WEL

**Occupational Exposure Limits**

Valid for  
Ireland

Ingredient [Regulated substance]	ppm	mg/m <sup>3</sup>	Value type	Short term exposure limit category / Remarks	Regulatory list
Silane, dichlorodimethyl-, reaction products with silica 7631-86-9 [DUSTS NON-SPECIFIC]		10	Time Weighted Average (TWA):		IR_OEL
Silane, dichlorodimethyl-, reaction products with silica 7631-86-9 [SILICA, AMORPHOUS]		2,4	Time Weighted Average (TWA):		IR_OEL
Silane, dichlorodimethyl-, reaction products with silica 7631-86-9 [SILICA, AMORPHOUS]		6	Time Weighted Average (TWA):		IR_OEL
Silane, dichlorodimethyl-, reaction products with silica		4	Time Weighted Average (TWA):		IR_OEL

7631-86-9 [DUSTS NON-SPECIFIC]					
Ethene, homopolymer 9002-88-4 [DUSTS NON-SPECIFIC]		10	Time Weighted Average (TWA):		IR_OEL
Ethene, homopolymer 9002-88-4 [DUSTS NON-SPECIFIC]		4	Time Weighted Average (TWA):		IR_OEL
Propane-1,2-diol 57-55-6 [PROPANE-1,2-DIOL]		10	Time Weighted Average (TWA):		IR_OEL
Propane-1,2-diol 57-55-6 [PROPANE-1,2-DIOL]	150	470	Time Weighted Average (TWA):		IR_OEL
Methacrylic acid 79-41-4 [METHACRYLIC ACID]	20	70	Time Weighted Average (TWA):		IR_OEL
Methacrylic acid 79-41-4 [METHACRYLIC ACID]	40	140	Short Term Exposure Limit (STEL):	15 minutes	IR_OEL

**Predicted No-Effect Concentration (PNEC):**

Name on list	Environmental Compartment	Exposure period	Value				Remarks
			mg/l	ppm	mg/kg	others	
Tetramethylene dimethacrylate 2082-81-7	aqua (freshwater)		0,043 mg/l				
Tetramethylene dimethacrylate 2082-81-7	aqua (marine water)		0,004 mg/l				
Tetramethylene dimethacrylate 2082-81-7	aqua (intermittent releases)		0,098 mg/l				
Tetramethylene dimethacrylate 2082-81-7	sewage treatment plant (STP)		2 mg/l				
Tetramethylene dimethacrylate 2082-81-7	sediment (freshwater)				3,12 mg/kg		
Tetramethylene dimethacrylate 2082-81-7	sediment (marine water)				0,312 mg/kg		
Tetramethylene dimethacrylate 2082-81-7	Soil				0,573 mg/kg		
2,4,6-Triallyloxy-1,3,5-triazine 101-37-1	aqua (freshwater)		0,007 mg/l				
2,4,6-Triallyloxy-1,3,5-triazine 101-37-1	aqua (marine water)		0,001 mg/l				
2,4,6-Triallyloxy-1,3,5-triazine 101-37-1	Freshwater - intermittent		0,07 mg/l				
2,4,6-Triallyloxy-1,3,5-triazine 101-37-1	sediment (freshwater)				0,173 mg/kg		
2,4,6-Triallyloxy-1,3,5-triazine 101-37-1	sediment (marine water)				0,017 mg/kg		
2,4,6-Triallyloxy-1,3,5-triazine 101-37-1	Soil				0,057 mg/kg		
2,4,6-Triallyloxy-1,3,5-triazine 101-37-1	sewage treatment plant (STP)		10 mg/l				
2,4,6-Triallyloxy-1,3,5-triazine 101-37-1	oral				0,119 mg/kg		
2-[[2,2-Bis[(1- oxoallyl)oxy]methyl]butoxy]methyl]-2- ethyl-1,3-propanediyl diacrylate 94108-97-1	aqua (freshwater)		0,0012 mg/l				
2-[[2,2-Bis[(1- oxoallyl)oxy]methyl]butoxy]methyl]-2- ethyl-1,3-propanediyl diacrylate 94108-97-1	Soil				0,096 mg/kg		
2-[[2,2-Bis[(1- oxoallyl)oxy]methyl]butoxy]methyl]-2- ethyl-1,3-propanediyl diacrylate 94108-97-1	sediment (marine water)				0,005 mg/kg		
2-[[2,2-Bis[(1- oxoallyl)oxy]methyl]butoxy]methyl]-2- ethyl-1,3-propanediyl diacrylate 94108-97-1	sediment (freshwater)				0,048 mg/kg		
2-[[2,2-Bis[(1- oxoallyl)oxy]methyl]butoxy]methyl]-2- ethyl-1,3-propanediyl diacrylate 94108-97-1	sewage treatment plant (STP)		100 mg/l				
2-[[2,2-Bis[(1- oxoallyl)oxy]methyl]butoxy]methyl]-2- ethyl-1,3-propanediyl diacrylate 94108-97-1	aqua (intermittent releases)		0,012 mg/l				
2-[[2,2-Bis[(1- oxoallyl)oxy]methyl]butoxy]methyl]-2- ethyl-1,3-propanediyl diacrylate 94108-97-1	aqua (marine water)		0,00012 mg/l				
.alpha.,.alpha.-Dimethylbenzyl hydroperoxide 80-15-9	aqua (freshwater)		0,0031 mg/l				
.alpha.,.alpha.-Dimethylbenzyl hydroperoxide 80-15-9	aqua (intermittent releases)		0,031 mg/l				

.alpha.,alpha.-Dimethylbenzyl hydroperoxide 80-15-9	aqua (marine water)		0,00031 mg/l				
.alpha.,alpha.-Dimethylbenzyl hydroperoxide 80-15-9	sewage treatment plant (STP)		0,35 mg/l				
.alpha.,alpha.-Dimethylbenzyl hydroperoxide 80-15-9	sediment (freshwater)				0,023 mg/kg		
.alpha.,alpha.-Dimethylbenzyl hydroperoxide 80-15-9	sediment (marine water)				0,0023 mg/kg		
.alpha.,alpha.-Dimethylbenzyl hydroperoxide 80-15-9	Soil				0,0029 mg/kg		
Maleic acid 110-16-7	aqua (freshwater)		0,1 mg/l				
Maleic acid 110-16-7	aqua (intermittent releases)		0,4281 mg/l				
Maleic acid 110-16-7	sediment (freshwater)				0,334 mg/kg		
Maleic acid 110-16-7	sewage treatment plant (STP)		44,6 mg/l				
Maleic acid 110-16-7	aqua (marine water)		0,01 mg/l				
Maleic acid 110-16-7	sediment (marine water)				0,0334 mg/kg		
Maleic acid 110-16-7	Soil				0,0415 mg/kg		
methacrylic acid 79-41-4	aqua (freshwater)		0,82 mg/l				
methacrylic acid 79-41-4	Freshwater - intermittent		0,45 mg/l				
methacrylic acid 79-41-4	aqua (marine water)		0,082 mg/l				
methacrylic acid 79-41-4	sewage treatment plant (STP)		100 mg/l				
methacrylic acid 79-41-4	sediment (freshwater)				3,09 mg/kg		
methacrylic acid 79-41-4	sediment (marine water)				0,309 mg/kg		
methacrylic acid 79-41-4	Soil				0,137 mg/kg		
methacrylic acid 79-41-4	Predator						no potential for bioaccumulation

**Derived No-Effect Level (DNEL):**

Name on list	Application Area	Route of Exposure	Health Effect	Exposure Time	Value	Remarks
Tetramethylene dimethacrylate 2082-81-7	Workers	dermal	Long term exposure - systemic effects		4,2 mg/kg	
Tetramethylene dimethacrylate 2082-81-7	Workers	inhalation	Long term exposure - systemic effects		14,5 mg/m3	
Tetramethylene dimethacrylate 2082-81-7	General population	inhalation	Long term exposure - systemic effects		4,3 mg/m3	
Tetramethylene dimethacrylate 2082-81-7	General population	dermal	Long term exposure - systemic effects		2,5 mg/kg	
Tetramethylene dimethacrylate 2082-81-7	General population	oral	Long term exposure - systemic effects		2,5 mg/kg	
2,4,6-Triallyloxy-1,3,5-triazine 101-37-1	Workers	inhalation	Acute/short term exposure - systemic effects		134,4 mg/m3	
2,4,6-Triallyloxy-1,3,5-triazine 101-37-1	Workers	dermal	Long term exposure - systemic effects		1,5 mg/kg	
2,4,6-Triallyloxy-1,3,5-triazine 101-37-1	Workers	inhalation	Long term exposure - systemic effects		2,12 mg/m3	
2,4,6-Triallyloxy-1,3,5-triazine 101-37-1	General population	inhalation	Long term exposure - systemic effects		0,52 mg/m3	
2,4,6-Triallyloxy-1,3,5-triazine 101-37-1	General population	dermal	Long term exposure - systemic effects		0,75 mg/kg	
2,4,6-Triallyloxy-1,3,5-triazine 101-37-1	General population	oral	Long term exposure - systemic effects		0,15 mg/kg	
.alpha.,.alpha.-Dimethylbenzyl hydroperoxide 80-15-9	Workers	inhalation	Long term exposure - systemic effects		6 mg/m3	
Maleic acid 110-16-7	Workers	dermal	Acute/short term exposure - local effects			
Maleic acid 110-16-7	Workers	dermal	Long term exposure - local effects			
Maleic acid 110-16-7	Workers	dermal	Acute/short term exposure - systemic effects			
Maleic acid 110-16-7	Workers	dermal	Long term exposure - systemic effects			
Maleic acid 110-16-7	Workers	inhalation	Acute/short term exposure - local effects		3 mg/m3	
Maleic acid 110-16-7	Workers	inhalation	Long term exposure - systemic effects		3 mg/m3	
Maleic acid 110-16-7	Workers	inhalation	Long term exposure - local effects		3 mg/m3	
Maleic acid 110-16-7	Workers	inhalation	Acute/short term exposure - systemic effects		3 mg/m3	
methacrylic acid 79-41-4	Workers	Inhalation	Long term exposure - local effects		88 mg/m3	no potential for bioaccumulation
methacrylic acid 79-41-4	Workers	Inhalation	Long term exposure - systemic effects		29,6 mg/m3	no potential for bioaccumulation
methacrylic acid 79-41-4	Workers	dermal	Long term exposure -		4,25 mg/kg	no potential for bioaccumulation

			systemic effects			
methacrylic acid 79-41-4	General population	Inhalation	Long term exposure - local effects		6,55 mg/m <sup>3</sup>	no potential for bioaccumulation
methacrylic acid 79-41-4	General population	Inhalation	Long term exposure - systemic effects		6,3 mg/m <sup>3</sup>	no potential for bioaccumulation
methacrylic acid 79-41-4	General population	dermal	Long term exposure - systemic effects		2,55 mg/kg	no potential for bioaccumulation

**Biological Exposure Indices:**

None

**8.2. Exposure controls:**

Engineering controls:

Ensure good ventilation/extraction.

Respiratory protection:

Ensure adequate ventilation.

An approved mask or respirator fitted with an organic vapour cartridge should be worn if the product is used in a poorly ventilated area

Filter type: A (EN 14387)

Hand protection:

Chemical-resistant protective gloves (EN 374).

Suitable materials for short-term contact or splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374):

nitrile rubber (NBR; >= 0.4 mm thickness)

Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374):

nitrile rubber (NBR; >= 0.4 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

Eye protection:

Safety glasses with sideshields or chemical safety goggles should be worn if there is a risk of splashing.

Protective eye equipment should conform to EN166.

Skin protection:

Wear suitable protective clothing.

Protective clothing should conform to EN 14605 for liquid splashes or to EN 13982 for dusts.

Advices to personal protection equipment:

The information provided on personal protective equipment is for guidance purposes only. A full risk assessment should be conducted prior to using this product to determine the appropriate personal protective equipment to suit local conditions.

Personal protective equipment should conform to the relevant EN standard.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Delivery form	liquid
Colour	blue
Odor	mild, Acrylic
Physical state	liquid
Melting point	Not applicable, Product is a liquid
Solidification temperature	< -30 °C (< -22 °F)
Initial boiling point	< 149 °C (< 300.2 °F)
Initial boiling point	> 70 °C (> 158 °F)
Initial boiling point	> 150 °C (> 302 °F)

Flammability	The product is not flammable.
Explosive limits	Not applicable, The product is not flammable.
Flash point	> 100 °C (> 212 °F)
Auto-ignition temperature	Not applicable, The product is not flammable.
Decomposition temperature	Not applicable, Substance/mixture is not self-reactive, no organic peroxide and does not decompose under foreseen conditions of use
pH	Not applicable, Product is non-polar/aprotic.
Viscosity (kinematic) (40 °C (104 °F); )	> 20,5 mm <sup>2</sup> /s
Solubility (qualitative) (Solvent: Acetone)	Soluble
Solubility (qualitative) (20 °C (68 °F); Solvent: Water)	Slight
Partition coefficient: n-octanol/water	Not applicable
Vapour pressure (27 °C (80.6 °F))	Mixture < 0,1 mm hg
Vapour pressure (25 °C (77 °F))	1,7 mbar
Vapour pressure (50 °C (122 °F))	< 300 mbar;no method / method unknown
Vapour pressure (20 °C (68 °F))	< 0,13 mbar
Density (20 °C (68 °F))	1,08 g/cm <sup>3</sup> no method / method unknown
Relative vapour density: (20 °C)	> 1
Particle characteristics	Not applicable Product is a liquid

**9.2. Other information**

Other information not applicable for this product

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

Reacts with strong oxidants.  
Acids.  
Reducing agents.  
Strong bases.

**10.2. Chemical stability**

Stable under recommended storage conditions.

**10.3. Possibility of hazardous reactions**

See section reactivity

**10.4. Conditions to avoid**

Stable under normal conditions of storage and use.

**10.5. Incompatible materials**

See section reactivity.

**10.6. Hazardous decomposition products**

carbon oxides.  
Hydrocarbons  
nitrogen oxides  
Rapid polymerisation may generate excessive heat and pressure.

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute oral toxicity:**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Species	Method
Tetramethylene dimethacrylate 2082-81-7	LD50	10.066 mg/kg	rat	equivalent or similar to OECD Guideline 401 (Acute Oral Toxicity)
2,4,6-Triallyloxy-s-triazine 101-37-1	LD50	753 mg/kg	rat	OECD Guideline 401 (Acute Oral Toxicity)
2-[[2,2-bis[[[1-oxoallyl]oxy]methyl]butoxy]methyl]-2-ethyl-1,3-propanediyl diacrylate 94108-97-1	LD50	> 5.000 mg/kg	rat	OECD Guideline 401 (Acute Oral Toxicity)
Cumene hydroperoxide 80-15-9	LD50	382 mg/kg	rat	other guideline:
maleic acid 110-16-7	LD50	708 mg/kg	rat	not specified
Acetic acid, 2-phenylhydrazide 114-83-0	LD50	310 mg/kg	rat	OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure)
methacrylic acid 79-41-4	LD50	1.320 mg/kg	rat	equivalent or similar to OECD Guideline 401 (Acute Oral Toxicity)
1,4-Naphthalenedione 130-15-4	LD50	124 mg/kg	rat	equivalent or similar to OECD Guideline 401 (Acute Oral Toxicity)

**Acute dermal toxicity:**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Species	Method
Tetramethylene dimethacrylate 2082-81-7	LD50	> 3.000 mg/kg	rabbit	not specified
2,4,6-Triallyloxy-s-triazine 101-37-1	LD50	> 2.000 mg/kg	rabbit	OECD Guideline 402 (Acute Dermal Toxicity)
2-[[2,2-bis[[[1-oxoallyl]oxy]methyl]butoxy]methyl]-2-ethyl-1,3-propanediyl diacrylate 94108-97-1	LD50	> 2.000 mg/kg	rat	not specified
Cumene hydroperoxide 80-15-9	Acute toxicity estimate (ATE)	1.100 mg/kg		Expert judgement
maleic acid 110-16-7	LD50	1.560 mg/kg	rabbit	not specified
methacrylic acid 79-41-4	LD50	500 - 1.000 mg/kg	rabbit	Dermal Toxicity Screening
methacrylic acid 79-41-4	Acute toxicity estimate (ATE)	500 mg/kg		Expert judgement

**Acute inhalative toxicity:**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Test atmosphere	Exposure time	Species	Method
Cumene hydroperoxide 80-15-9	LC50	1,370 mg/l	vapour	4 h	rat	not specified
methacrylic acid 79-41-4	LC50	3,19 - 6,5 mg/l	dust/mist	4 h	rat	equivalent or similar to OECD Guideline 403 (Acute Inhalation Toxicity)
methacrylic acid 79-41-4	Acute toxicity estimate (ATE)	3,19 mg/l	dust/mist			Expert judgement
1,4-Naphthalenedione 130-15-4	LC50	0,046 mg/l	dust/mist	4 h	rat	OECD Guideline 403 (Acute Inhalation Toxicity)

**Skin corrosion/irritation:**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Tetramethylene dimethacrylate 2082-81-7	not irritating	24 h	rabbit	FDA Guideline
Cumene hydroperoxide 80-15-9	corrosive		rabbit	Draize Test
maleic acid 110-16-7	irritating	24 h	human	Patch Test
Acetic acid, 2-phenylhydrazide 114-83-0	not corrosive		Human, EpiSkin™ (SM), Reconstructed Human Epidermis (RHE)	OECD Guideline 431 (In Vitro Skin Corrosion: Reconstructed Human Epidermis (RHE) Test Method)
Acetic acid, 2-phenylhydrazide 114-83-0	not irritating		Human, EpiSkin™ (SM), Reconstructed Human Epidermis (RHE)	OECD Guideline 439 (In Vitro Skin Irritation: Reconstructed Human Epidermis (RHE) Test Method)
methacrylic acid 79-41-4	corrosive	3 min	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
1,4-Naphthalenedione 130-15-4	Category 1C (corrosive)		rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

**Serious eye damage/irritation:**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Tetramethylene dimethacrylate 2082-81-7	not irritating		rabbit	equivalent or similar to OECD Guideline 405 (Acute Eye Irritation / Corrosion)
2-[[[2,2-bis[[[1-(1-oxoallyl)oxy]methyl]butoxy]methyl]-2-ethyl-1,3-propanediyl diacrylate 94108-97-1	Category 2 (irritant)		rabbit	EU Method B.5 (Acute Toxicity: Eye Irritation / Corrosion)
maleic acid 110-16-7	highly irritating		rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
Acetic acid, 2-phenylhydrazide 114-83-0	not irritating		Chicken, eye, isolated	OECD Guideline 438 (Isolated Chicken Eye Test Method)
methacrylic acid 79-41-4	corrosive		rabbit	Draize Test

**Respiratory or skin sensitization:**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Test type	Species	Method
Tetramethylene dimethacrylate 2082-81-7	sensitising	Mouse local lymphnode assay (LLNA)	mouse	OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)
maleic acid 110-16-7	sensitising	Mouse local lymphnode assay (LLNA)	mouse	OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)
maleic acid 110-16-7	sensitising	Mouse local lymphnode assay (LLNA)	guinea pig	OECD Guideline 406 (Skin Sensitisation)
Acetic acid, 2-phenylhydrazide 114-83-0	positive	Direct peptide reactivity assay (DPRA)	cysteine and lysine, in chemico test	OECD Guideline 442C (Direct Peptide Reactivity Assay (DPRA))
Acetic acid, 2-phenylhydrazide 114-83-0	positive	Activation of keratinocytes	human keratinocytes, in vitro test	OECD Guideline 442D (ARE-Nrf2 Luciferase Test Method)
Acetic acid, 2-phenylhydrazide 114-83-0	positive	activation of dendritic cells	human monocytes, in vitro test	OECD Guideline 442E (H-CLAT: Human Cell Line Activation Test)
methacrylic acid 79-41-4	not sensitising	Buehler test	guinea pig	equivalent or similar to OECD Guideline 406 (Skin Sensitisation)
1,4-Naphthalenedione 130-15-4	sensitising	not specified	guinea pig	not specified

**Germ cell mutagenicity:**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
Tetramethylene dimethacrylate 2082-81-7	negative	in vitro mammalian chromosome aberration test	with and without		OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
Tetramethylene dimethacrylate 2082-81-7	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Tetramethylene dimethacrylate 2082-81-7	positive	in vitro mammalian chromosome aberration test	with and without		OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
Cumene hydroperoxide 80-15-9	positive	bacterial reverse mutation assay (e.g Ames test)	without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
maleic acid 110-16-7	negative	bacterial reverse mutation assay (e.g Ames test)	no data		Ames Test
maleic acid 110-16-7	negative	mammalian cell gene mutation assay	with and without		OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
Acetic acid, 2-phenylhydrazide 114-83-0	positive	bacterial reverse mutation assay (e.g Ames test)	with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Acetic acid, 2-phenylhydrazide 114-83-0	negative	in vitro mammalian cell micronucleus test	with and without		OECD Guideline 487 (In vitro Mammalian Cell Micronucleus Test)
methacrylic acid 79-41-4	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		equivalent or similar to OECD Guideline 471 (Bacterial Reverse Mutation Assay)

**Carcinogenicity**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous components CAS-No.	Result	Route of application	Exposure time / Frequency of treatment	Species	Sex	Method
maleic acid 110-16-7	not carcinogenic	oral: feed	2 y daily	rat	male/female	OECD Guideline 451 (Carcinogenicity Studies)
Acetic acid, 2-phenylhydrazide 114-83-0	carcinogenic	oral: drinking water	continuous	mouse	male/female	not specified
methacrylic acid 79-41-4	not carcinogenic	inhalation	2 y	mouse	male/female	OECD Guideline 451 (Carcinogenicity Studies)

**Reproductive toxicity:**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result / Value	Test type	Route of application	Species	Method
maleic acid 110-16-7	NOAEL F1 150 mg/kg NOAEL F2 55 mg/kg	Two generation study	oral: gavage	rat	OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)
methacrylic acid 79-41-4	NOAEL P 50 mg/kg NOAEL F1 400 mg/kg NOAEL F2 400 mg/kg	Two generation study	oral: gavage	rat	OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)

**STOT-single exposure:**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Assessment	Route of exposure	Target Organs	Remarks
methacrylic acid 79-41-4	May cause respiratory irritation.			

**STOT-repeated exposure:**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result / Value	Route of application	Exposure time / Frequency of treatment	Species	Method
Cumene hydroperoxide 80-15-9		inhalation: aerosol	6 h/d 5 d/w	rat	not specified
maleic acid 110-16-7	NOAEL >= 40 mg/kg	oral: feed	90 d daily	rat	OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
methacrylic acid 79-41-4		inhalation	90 d 6 h/d, 5 d/w	rat	OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day)

**Aspiration hazard:**

No data available.

**11.2 Information on other hazards**

not applicable



**SECTION 12: Ecological information****General ecological information:**

Do not empty into drains / surface water / ground water.

**12.1. Toxicity****Toxicity (Fish):**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Tetramethylene dimethacrylate 2082-81-7	LC50	32,5 mg/l	48 h		DIN 38412-15
2,4,6-Triallyloxy-s-triazine 101-37-1	LC50	4,36 mg/l	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish, Acute Toxicity Test)
2-[[2,2-bis[[1-(1-oxoallyl)oxy]methyl]butoxy]methyl]-2-ethyl-1,3-propanediyl diacrylate 94108-97-1	LC50	1,2 mg/l	96 h	Cyprinus carpio	OECD Guideline 203 (Fish, Acute Toxicity Test)
Cumene hydroperoxide 80-15-9	LC50	3,9 mg/l	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish, Acute Toxicity Test)
maleic acid 110-16-7	LC50	> 245 mg/l	48 h	Leuciscus idus	DIN 38412-15
methacrylic acid 79-41-4	LC50	85 mg/l	96 h	Salmo gairdneri (new name: Oncorhynchus mykiss)	EPA OTS 797.1400 (Fish Acute Toxicity Test)
methacrylic acid 79-41-4	NOEC	10 mg/l	35 d	Danio rerio	OECD Guideline 210 (fish early lite stage toxicity test)
1,4-Naphthalenedione 130-15-4	LC50	0,045 mg/l	96 h	Oryzias latipes	OECD Guideline 203 (Fish, Acute Toxicity Test)

**Toxicity (aquatic invertebrates):**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
2,4,6-Triallyloxy-s-triazine 101-37-1	EC50	19,4 mg/l	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
2-[[2,2-bis[[1-(1-oxoallyl)oxy]methyl]butoxy]methyl]-2-ethyl-1,3-propanediyl diacrylate 94108-97-1	EC50	> 10 - 100 mg/l	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Cumene hydroperoxide 80-15-9	EC50	18,84 mg/l	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
maleic acid 110-16-7	EC50	42,81 mg/l	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Acetic acid, 2-phenylhydrazide 114-83-0	EC50	1,1 mg/l	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
methacrylic acid 79-41-4	EC50	> 130 mg/l	48 h	Daphnia magna	EPA OTS 797.1300 (Aquatic Invertebrate Acute Toxicity Test, Freshwater Daphnids)
1,4-Naphthalenedione 130-15-4	EC50	0,026 mg/l	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

**Chronic toxicity (aquatic invertebrates):**

The table below presents the data of the classified substances present in the mixture.

<b>Hazardous substances CAS-No.</b>	<b>Value type</b>	<b>Value</b>	<b>Exposure time</b>	<b>Species</b>	<b>Method</b>
Tetramethylene dimethacrylate 2082-81-7	NOEC	5,09 mg/l	21 d	Daphnia magna	OECD 211 (Daphnia magna, Reproduction Test)
maleic acid 110-16-7	NOEC	10 mg/l	21 d	Daphnia magna	other guideline:
methacrylic acid 79-41-4	NOEC	53 mg/l	21 d	Daphnia magna	OECD 211 (Daphnia magna, Reproduction Test)

**Toxicity (Algae):**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Tetramethylene dimethacrylate 2082-81-7	EC50	9,79 mg/l	72 h	Desmodesmus subspicatus	OECD Guideline 201 (Alga, Growth Inhibition Test)
Tetramethylene dimethacrylate 2082-81-7	NOEC	2,11 mg/l	72 h	Desmodesmus subspicatus	OECD Guideline 201 (Alga, Growth Inhibition Test)
2-[[2,2-bis[[1-(1-oxoallyl)oxy]methyl]butoxy]methyl]-2-ethyl-1,3-propanediyl diacrylate 94108-97-1	EC50	> 12 mg/l	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
2-[[2,2-bis[[1-(1-oxoallyl)oxy]methyl]butoxy]methyl]-2-ethyl-1,3-propanediyl diacrylate 94108-97-1	NOEC	> 0,1 - 1 mg/l	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
Cumene hydroperoxide 80-15-9	EC50	3,1 mg/l	72 h	Desmodesmus subspicatus (reported as Scenedesmus subspicatus)	OECD Guideline 201 (Alga, Growth Inhibition Test)
Cumene hydroperoxide 80-15-9	NOEC	1 mg/l	72 h	Desmodesmus subspicatus (reported as Scenedesmus subspicatus)	OECD Guideline 201 (Alga, Growth Inhibition Test)
maleic acid 110-16-7	EC50	74,35 mg/l	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
maleic acid 110-16-7	EC10	11,8 mg/l	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
Acetic acid, 2-phenylhydrazide 114-83-0	EC50	0,258 mg/l	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
Acetic acid, 2-phenylhydrazide 114-83-0	NOEC	0,012 mg/l	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
methacrylic acid 79-41-4	NOEC	8,2 mg/l	72 h	Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata)	OECD Guideline 201 (Alga, Growth Inhibition Test)
methacrylic acid 79-41-4	EC50	45 mg/l	72 h	Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata)	OECD Guideline 201 (Alga, Growth Inhibition Test)
1,4-Naphthalenedione 130-15-4	NOEC	0,07 mg/l	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
1,4-Naphthalenedione 130-15-4	EC50	0,42 mg/l	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)

#### Toxicity (microorganisms):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Tetramethylene dimethacrylate 2082-81-7	NOEC	20 mg/l	28 d	activated sludge, domestic	not specified
2,4,6-Triallyloxy-s-triazine 101-37-1	EC0	5 mg/l	3 h		OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)
Cumene hydroperoxide 80-15-9	EC10	70 mg/l	30 min	not specified	not specified
maleic acid 110-16-7	EC10	44,6 mg/l	18 h	Pseudomonas putida	DIN 38412, part 8 (Pseudomonas Zellvermehrungshemm-Test)
methacrylic acid 79-41-4	EC10	100 mg/l	17 h	Pseudomonas putida	DIN 38412, part 8 (Pseudomonas Zellvermehrungshemm-Test)

1,4-Naphthalenedione 130-15-4	EC50	5,94 mg/l	3 h	activated sludge of a predominantly domestic sewage	OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)
----------------------------------	------	-----------	-----	--	--

### 12.2. Persistence and degradability

The table below presents the data of the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Test type	Degradability	Exposure time	Method
Tetramethylene dimethacrylate 2082-81-7	readily biodegradable	aerobic	84 %	28 d	OECD Guideline 310 (Ready Biodegradability CO2 in Sealed Vessels (Headspace Test))
2,4,6-Triallyloxy-s-triazine 101-37-1		aerobic	> 7 - 9 %	28 d	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
2-[[2,2-bis[[[1- oxoallyl]oxy]methyl]butoxy] methyl]-2-ethyl-1,3- propanediyl diacrylate 94108-97-1		aerobic	4 - 14 %	29 d	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
Cumene hydroperoxide 80-15-9	not readily biodegradable.	aerobic	3 %	28 d	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
maleic acid 110-16-7	readily biodegradable	aerobic	97,08 %	28 d	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
Acetic acid, 2- phenylhydrazide 114-83-0	not readily biodegradable.	aerobic	39 %	28 d	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)
methacrylic acid 79-41-4	readily biodegradable	aerobic	86 %	28 d	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)
methacrylic acid 79-41-4	inherently biodegradable	aerobic	100 %	14 d	OECD Guideline 302 B (Inherent biodegradability: Zahn- Wellens/EMPA Test)
1,4-Naphthalenedione 130-15-4	not readily biodegradable.	aerobic	0 %	28 d	OECD Guideline 301 F (Ready Biodegradability: Manometric Respirometry Test)

### 12.3. Bioaccumulative potential

The table below presents the data of the classified substances present in the mixture.

Hazardous substances CAS-No.	Bioconcentratio n factor (BCF)	Exposure time	Temperature	Species	Method
Cumene hydroperoxide 80-15-9	9,1			calculation	OECD Guideline 305 (Bioconcentration: Flow-through Fish Test)

#### 12.4. Mobility in soil

The table below presents the data of the classified substances present in the mixture.

Hazardous substances CAS-No.	LogPow	Temperature	Method
Tetramethylene dimethacrylate 2082-81-7	3,1		OECD Guideline 117 (Partition Coefficient (n-octanol / water), HPLC Method)
2,4,6-Triallyloxy-s-triazine 101-37-1	2,8	20 °C	not specified
2-[[2,2-bis[[[1-oxoallyl]oxy]methyl]butoxy]methyl]-2-ethyl-1,3-propanediyl diacrylate 94108-97-1	4,14	30 °C	OECD Guideline 117 (Partition Coefficient (n-octanol / water), HPLC Method)
Cumene hydroperoxide 80-15-9	1,6	25 °C	OECD Guideline 117 (Partition Coefficient (n-octanol / water), HPLC Method)
maleic acid 110-16-7	-1,3	20 °C	OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method)
Acetic acid, 2-phenylhydrazide 114-83-0	0,74		QSAR (Quantitative Structure Activity Relationship)
methacrylic acid 79-41-4	0,93	22 °C	OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method)
1,4-Naphthalenedione 130-15-4	1,71		not specified

#### 12.5. Results of PBT and vPvB assessment

The table below presents the data of the classified substances present in the mixture.

Hazardous substances CAS-No.	PBT / vPvB
Tetramethylene dimethacrylate 2082-81-7	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.
2,4,6-Triallyloxy-s-triazine 101-37-1	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.
2-[[2,2-bis[[[1-oxoallyl]oxy]methyl]butoxy]methyl]-2-ethyl-1,3-propanediyl diacrylate 94108-97-1	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.
Cumene hydroperoxide 80-15-9	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.
maleic acid 110-16-7	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.
Acetic acid, 2-phenylhydrazide 114-83-0	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.
methacrylic acid 79-41-4	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.
1,4-Naphthalenedione 130-15-4	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.

#### 12.6. Endocrine disrupting properties

not applicable

#### 12.7. Other adverse effects

No data available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**Product disposal:**

Do not empty into drains / surface water / ground water.  
Dispose of in accordance with local and national regulations.

**Disposal of uncleaned packages:**

After use, tubes, cartons and bottles containing residual product should be disposed of as chemically contaminated waste in an authorised legal land fill site or incinerated.

**Waste code**

08 04 09\* waste adhesives and sealants containing organic solvents and other dangerous substances

The valid EWC waste code numbers are source-related. The manufacturer is therefore unable to specify EWC waste codes for the articles or products used in the various sectors. The EWC codes listed are intended as a recommendation for users. We will be happy to advise you.

**SECTION 14: Transport information**

**14.1. UN number or ID number**

ADR	Not dangerous goods
RID	Not dangerous goods
ADN	Not dangerous goods
IMDG	Not dangerous goods
IATA	Not dangerous goods

**14.2. UN proper shipping name**

ADR	Not dangerous goods
RID	Not dangerous goods
ADN	Not dangerous goods
IMDG	Not dangerous goods
IATA	Not dangerous goods

**14.3. Transport hazard class(es)**

ADR	Not dangerous goods
RID	Not dangerous goods
ADN	Not dangerous goods
IMDG	Not dangerous goods
IATA	Not dangerous goods

**14.4. Packing group**

ADR	Not dangerous goods
RID	Not dangerous goods
ADN	Not dangerous goods
IMDG	Not dangerous goods
IATA	Not dangerous goods

**14.5. Environmental hazards**

ADR	not applicable
RID	not applicable
ADN	not applicable
IMDG	not applicable
IATA	not applicable

**14.6. Special precautions for user**

ADR	not applicable
-----	----------------

---

RID	not applicable
ADN	not applicable
IMDG	not applicable
IATA	not applicable

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Ozone Depleting Substance (ODS) (Regulation (EC) No 1005/2009):	Not applicable
Prior Informed Consent (PIC) (Regulation (EU) No 649/2012):	Not applicable
Persistent organic pollutants (Regulation (EU) 2019/1021):	Not applicable

VOC content (2010/75/EC)	< 3 %
-----------------------------	-------

**15.2. Chemical safety assessment**

A chemical safety assessment has not been carried out.

## SECTION 16: Other information

The labelling of the product is indicated in Section 2. The full text of all abbreviations indicated by codes in this safety data sheet are as follows:

H242 Heating may cause a fire.  
H301 Toxic if swallowed.  
H302 Harmful if swallowed.  
H311 Toxic in contact with skin.  
H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H330 Fatal if inhaled.  
H332 Harmful if inhaled.  
H335 May cause respiratory irritation.  
H351 Suspected of causing cancer.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H411 Toxic to aquatic life with long lasting effects.

ED:	Substance identified as having endocrine disrupting properties
EU OEL:	Substance with a Union workplace exposure limit
EU EXPLD 1:	Substance listed in Annex I, Reg (EC) No. 2019/1148
EU EXPLD 2	Substance listed in Annex II, Reg (EC) No. 2019/1148
SVHC:	Substance of very high concern (REACH Candidate List)
PBT:	Substance fulfilling persistent, bioaccumulative and toxic criteria
PBT/vPvB:	Substance fulfilling persistent, bioaccumulative and toxic plus very persistent and very bioaccumulative criteria
vPvB:	Substance fulfilling very persistent and very bioaccumulative criteria

### Further information:

This Safety Data Sheet has been produced for sales from Henkel to parties purchasing from Henkel, is based on Regulation (EC) No 1907/2006 and provides information in accordance with applicable regulations of the European Union only. In that respect, no statement, warranty or representation of any kind is given as to compliance with any statutory laws or regulations of any other jurisdiction or territory other than the European Union. When exporting to territories other than the European Union, please consult with the respective Safety Data Sheet of the concerned territory to ensure compliance or liaise with Henkel's Product Safety and Regulatory Affairs Department (SDSinfo.Adhesive@henkel.com) prior to export to other territories than the European Union.

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

Dear Customer,

Henkel is committed to creating a sustainable future by promoting opportunities along the entire value chain. If you would like to contribute by switching from a paper to the electronic version of SDS, please contact the local Customer Service representative. We recommend to use a non-personal email address (e.g. SDS@your\_company.com).

**Relevant changes in this safety data sheet are indicated by vertical lines at the left margin in the body of this document. Corresponding text is displayed in a different color on shadowed fields.**



# Sicherheitsdatenblatt gemäß Verordnung (EG) Nr. 1907/2006 in seiner derzeit gültigen Fassung

Seite 1 von 25

LOCTITE 243

SDB-Nr. : 316211

V016.0

überarbeitet am: 14.05.2024

Druckdatum: 15.05.2024

Ersetzt Version vom: 27.03.2024

## ABSCHNITT 1: Bezeichnung des Stoffs bzw. des Gemischs und des Unternehmens

### 1.1. Produktidentifikator

LOCTITE 243

### 1.2. Relevante identifizierte Verwendungen des Stoffs oder Gemischs und Verwendungen, von denen abgeraten wird

Vorgesehene Verwendung:

Klebstoff

### 1.3. Einzelheiten zum Lieferanten, der das Sicherheitsdatenblatt bereitstellt

Henkel AG & Co. KGaA

Henkelstr. 67

40589 Düsseldorf

Deutschland

Tel.: +49 211 797 0

SDSinfo.Adhesive@henkel.com

Aktualisierungen der Sicherheitsdatenblätter können auf unserer Internetseite abgerufen werden [www.mysds.henkel.com](http://www.mysds.henkel.com)

oder [www.henkel-adhesives.com](http://www.henkel-adhesives.com).

### 1.4. Notrufnummer

Für Notfälle steht Ihnen die Henkel-Werkfeuerwehr unter der Telefon-Nr. +49-(0)211-797-3350 Tag und Nacht zur Verfügung.

## ABSCHNITT 2: Mögliche Gefahren

### 2.1. Einstufung des Stoffs oder Gemischs

#### Einstufung (CLP):

Sensibilisierung der Haut

Kategorie 1

H317 Kann allergische Hautreaktionen verursachen.

Chronische aquatische Toxizität

Kategorie 3

H412 Schädlich für Wasserorganismen, mit langfristiger Wirkung.

### 2.2. Kennzeichnungselemente

#### Kennzeichnungselemente (CLP):

##### Gefahrenpiktogramm:



Enthält

Tetramethyldimethacrylat

---

	Maleinsäure
	2'-Phenylacetohydrazid
<b>Signalwort:</b>	Achtung
<b>Gefahrenhinweis:</b>	H317 Kann allergische Hautreaktionen verursachen. H412 Schädlich für Wasserorganismen, mit langfristiger Wirkung.
<b>Sicherheitshinweis:</b>	"***" ***Nur für private Endverbraucher: P101 Ist ärztlicher Rat erforderlich, Verpackung oder Kennzeichnungsetikett bereithalten. P102 Darf nicht in die Hände von Kindern gelangen. P501 Inhalt/Behälter gemäß nationalen Vorschriften der Entsorgung zuführen.***
<b>Sicherheitshinweis: Prävention</b>	P273 Freisetzung in die Umwelt vermeiden. P280 Schutzhandschuhe tragen.
<b>Sicherheitshinweis: Reaktion</b>	P333+P313 Bei Hautreizung oder -ausschlag: Ärztlichen Rat einholen/ärztliche Hilfe hinzuziehen.

### 2.3. Sonstige Gefahren

Keine bei bestimmungsgemäßer Verwendung.

**Folgende Substanzen sind in einer Konzentration  $\geq$  der Konzentrationsgrenze für die Darstellung nach Abschnitt 3 vorhanden und erfüllen die Kriterien für PBT/vPvB, oder wurden als Endokrine Disruptoren (ED) identifiziert:**

Dieses Gemisch enthält keine Substanzen in einer Konzentration  $\geq$  der Konzentrationsgrenze für die Darstellung nach Abschnitt 3, die als PBT, vPvB oder ED eingestuft sind.

## ABSCHNITT 3: Zusammensetzung/Angaben zu Bestandteilen

### 3.2. Gemische

**Inhaltsstoffangabe gemäß CLP (EG) Nr 1272/2008:**

Gefährliche Inhaltsstoffe CAS-Nr. EG-Nummer REACH-Reg. No.	Konzentration	Einstufung	Spezifische Konzentrationsgrenzwerte (SCL), M-Faktoren und ATE- Werte	Zusätzliche Informationen
Tetramethyldimethacrylat 2082-81-7 218-218-1 01-2119967415-30	25- 50 %	Skin Sens. 1B, H317		
2,4,6-Triallyloxy-1,3,5-triazin 101-37-1 202-936-7 01-2119489756-17	5- < 10 %	Acute Tox. 4, Oral, H302 Aquatic Chronic 2, H411		
2-[[2,2-Bis[[[1-(1-oxoallyl)oxy]methyl]butoxy]methyl]-2-ethyl-1,3-propandiyldiacrylat 94108-97-1 302-434-9	1- < 5 %	Eye Irrit. 2, H319 Aquatic Chronic 2, H411		
$\alpha$ , $\alpha$ - Dimethylbenzylhydroperoxid 80-15-9 201-254-7 01-2119475796-19	0,1- < 1 %	STOT RE 2, H373 Skin Corr. 1B, H314 Acute Tox. 2, Einatmung, H330 Aquatic Chronic 2, H411 Acute Tox. 4, Oral, H302 Acute Tox. 4, Dermal, H312 Org. Perox. E, H242 STOT SE 3, H335	Eye Irrit. 2; H319; C 1 - < 3 % Skin Irrit. 2; H315; C 3 - < 10 % Eye Dam. 1; H318; C 3 - < 10 % STOT SE 3; H335; C $\geq$ 1 % Skin Corr. 1B; H314; C $\geq$ 10 % ===== dermal:ATE = 1.100 mg/kg	
Maleinsäure 110-16-7 203-742-5 01-2119488705-25	0,1- < 1 %	Acute Tox. 4, Oral, H302 Eye Irrit. 2, H319 STOT SE 3, H335 Skin Irrit. 2, H315 Skin Sens. 1, H317 Acute Tox. 4, Dermal, H312	Skin Sens. 1; H317; C $\geq$ 0,1 %	
2'-Phenylacetohydrazid 114-83-0 204-055-3 01-2120951382-56	0,1- < 1 %	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Acute Tox. 4, Oral, H302 Skin Sens. 1, H317 Carc. 2, H351	M acute = 1 M chronic = 1	
Methacrylsäure 79-41-4 201-204-4 01-2119463884-26	0,1- < 1 %	Acute Tox. 4, Oral, H302 Acute Tox. 3, Dermal, H311 Acute Tox. 4, Einatmung, H332 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335	STOT SE 3; H335; C $\geq$ 1 % ===== dermal:ATE = 500 mg/kg inhalation:ATE = 3,19 mg/l;Staub/Nebel	
1,4-Naphthochinon 130-15-4 204-977-6	0,0025- < 0,025 % ( 25 ppm- < 250 ppm)	Acute Tox. 3, Oral, H301 Skin Corr. 1C, H314 Skin Sens. 1, H317 Eye Dam. 1, H318 Acute Tox. 1, Einatmung, H330 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	M acute = 10 M chronic = 1	

**Wenn keine ATE-Werte angegeben sind, beziehen Sie sich bitte auf die LD/LC50-Werte in Abschnitt 11. Vollständiger Wortlaut der H-Sätze und anderer Abkürzungen siehe Kapitel 16 'Sonstige Angaben'.**

## ABSCHNITT 4: Erste-Hilfe-Maßnahmen

### 4.1. Beschreibung der Erste-Hilfe-Maßnahmen

#### Einatmen:

Patienten an die frische Luft bringen. Bei länger anhaltenden Beschwerden Arzt konsultieren.

#### Hautkontakt:

Spülung mit fließendem Wasser und Seife.  
Bei anhaltender Reizung ärztlichen Rat einholen.

#### Augenkontakt:

Sofortige Spülung unter fließendem Wasser (10 Minuten lang), Facharzt aufsuchen.

#### Verschlucken:

Spülung der Mundhöhle, trinken von 1-2 Gläsern Wasser, kein Erbrechen auslösen, Arzt konsultieren.

### 4.2. Wichtigste akute und verzögert auftretende Symptome und Wirkungen

Haut: Hautausschlag, Nesselsucht.

Wiederholter oder länger anhaltender Kontakt mit den Augen kann zu Augenreizung führen.

### 4.3. Hinweise auf ärztliche Soforthilfe oder Spezialbehandlung

Siehe Kapitel: Beschreibung der Erste-Hilfe-Maßnahmen

## ABSCHNITT 5: Maßnahmen zur Brandbekämpfung

### 5.1. Löschmittel

#### Geeignete Löschmittel:

Wasser, Kohlendioxid, Schaum, Pulver

#### Aus Sicherheitsgründen ungeeignete Löschmittel:

Wasservollstrahl

### 5.2. Besondere vom Stoff oder Gemisch ausgehende Gefahren

Im Brandfall können Kohlenmonoxid (CO), Kohlendioxid (CO<sub>2</sub>) und Stickoxide (NO<sub>x</sub>) freigesetzt werden.

### 5.3. Hinweise für die Brandbekämpfung

Umgebungsluftunabhängiges Atemschutzgerät und Vollschutzanzug tragen.

#### Zusätzliche Hinweise:

Im Brandfall gefährdete Behälter mit Spritzwasser kühlen.

## ABSCHNITT 6: Maßnahmen bei unbeabsichtigter Freisetzung

### 6.1. Personenbezogene Vorsichtsmaßnahmen, Schutzausrüstungen und in Notfällen anzuwendende Verfahren

Berührung mit den Augen und der Haut vermeiden.  
Schutzausrüstung tragen.  
Für ausreichende Be- und Entlüftung sorgen.  
Zündquellen fernhalten.

### 6.2. Umweltschutzmaßnahmen

Nicht in die Kanalisation / Oberflächenwasser / Grundwasser gelangen lassen.

### 6.3. Methoden und Material für Rückhaltung und Reinigung

Kontaminiertes Material als Abfall nach Absch. 13 entsorgen.  
Bei geringen verschütteten Mengen diese mit Papiertuch aufwischen und für die Entsorgung in einen Behälter geben.  
Bei großen verschütteten Mengen mit reaktionsträgem Absorptionsmaterial aufsaugen und für die Entsorgung in einen dicht verschlossenen Behälter geben.

---

**6.4. Verweis auf andere Abschnitte**

Hinweise in Abschnitt 8 beachten

**ABSCHNITT 7: Handhabung und Lagerung**

**7.1. Schutzmaßnahmen zur sicheren Handhabung**

Augenkontakt und Hautkontakt vermeiden.

Hinweise in Abschnitt 8 beachten

Hygienemaßnahmen:

Gute industrielle Hygienebedingungen sind einzuhalten

Bei der Arbeit nicht essen, trinken oder rauchen.

Vor den Pausen und nach Arbeitsende Hände waschen.

**7.2. Bedingungen zur sicheren Lagerung unter Berücksichtigung von Unverträglichkeiten**

Für gute Be- und Entlüftung sorgen.

entsprechend dem techn. Datenblatt.

**7.3. Spezifische Endanwendungen**

Klebstoff

**ABSCHNITT 8: Begrenzung und Überwachung der Exposition/Persönliche Schutzausrüstungen**

**8.1. Zu überwachende Parameter**

**Arbeitsplatzgrenzwerte**

Gültig für  
Deutschland

Inhaltstoff [Regulierte Stoffgruppe]	ppm	mg/m <sup>3</sup>	Werttyp	Kategorie Kurzzeitwert / Bemerkungen	Gesetzliche Liste
Silan, Dichlordimethyl-, Reaktionsprodukte mit Siliciumdioxid 7631-86-9 [Kieselsäuren, amorphe, Einatembare Fraktion]		4	AGW:	Ein Risiko der Fruchtschädigung braucht bei Einhaltung des AGW und des BGW nicht befürchtet zu werden (siehe Nummer 2.7).	TRGS 900
Silan, Dichlordimethyl-, Reaktionsprodukte mit Siliciumdioxid 7631-86-9 [Allgemeiner Staubgrenzwert, Einatembare Fraktion]		10	AGW:	2 Ein Risiko der Fruchtschädigung braucht bei Einhaltung des AGW und des BGW nicht befürchtet zu werden (siehe Nummer 2.7).	TRGS 900
Silan, Dichlordimethyl-, Reaktionsprodukte mit Siliciumdioxid 7631-86-9 [Allgemeiner Staubgrenzwert, Alveolengängige Fraktion]		1,25	AGW:	Ein Risiko der Fruchtschädigung braucht bei Einhaltung des AGW und des BGW nicht befürchtet zu werden (siehe Nummer 2.7).	TRGS 900
Silan, Dichlordimethyl-, Reaktionsprodukte mit Siliciumdioxid 7631-86-9 [Allgemeiner Staubgrenzwert, Einatembare Fraktion]			Kategorie für Kurzzeitwerte	Kategorie II: Resorptiv wirksame Stoffe.	TRGS 900
Ethylen, Homopolymer 9002-88-4 [Allgemeiner Staubgrenzwert, Alveolengängige Fraktion]		1,25	AGW:	Ein Risiko der Fruchtschädigung braucht bei Einhaltung des AGW und des BGW nicht befürchtet zu werden (siehe Nummer 2.7).	TRGS 900
Ethylen, Homopolymer 9002-88-4 [Allgemeiner Staubgrenzwert, Einatembare Fraktion]		10	AGW:	2 Ein Risiko der Fruchtschädigung braucht bei Einhaltung des AGW und des BGW nicht befürchtet zu werden (siehe Nummer 2.7).	TRGS 900
Ethylen, Homopolymer 9002-88-4 [Allgemeiner Staubgrenzwert, Einatembare Fraktion]			Kategorie für Kurzzeitwerte	Kategorie II: Resorptiv wirksame Stoffe.	TRGS 900
Methacrylsäure 79-41-4 [METHACRYLSÄURE]	50	180	AGW:	2 Ein Risiko der Fruchtschädigung braucht bei Einhaltung des AGW und des BGW nicht befürchtet zu werden (siehe Nummer 2.7).	TRGS 900
Methacrylsäure 79-41-4 [METHACRYLSÄURE]			Kategorie für Kurzzeitwerte	Kategorie I: Stoffe bei denen die lokale Wirkung grenzwertbestimmend ist oder atemwegssensibilisierende Stoffe.	TRGS 900

**Predicted No-Effect Concentration (PNEC):**

Name aus Liste	Umweltkompartiment	Expositionszeit	Wert				Bemerkungen
			mg/l	ppm	mg/kg	andere	
Tetramethyldimethacrylat 2082-81-7	Süßwasser		0,043 mg/l				
Tetramethyldimethacrylat 2082-81-7	Salzwasser		0,004 mg/l				
Tetramethyldimethacrylat 2082-81-7	Wasser (zeitweilige Freisetzung)		0,098 mg/l				
Tetramethyldimethacrylat 2082-81-7	Kläranlage		2 mg/l				
Tetramethyldimethacrylat 2082-81-7	Sediment (Süßwasser)				3,12 mg/kg		
Tetramethyldimethacrylat 2082-81-7	Sediment (Salzwasser)				0,312 mg/kg		
Tetramethyldimethacrylat 2082-81-7	Boden				0,573 mg/kg		
2,4,6-Triallyloxy-1,3,5-triazin 101-37-1	Süßwasser		0,007 mg/l				
2,4,6-Triallyloxy-1,3,5-triazin 101-37-1	Salzwasser		0,001 mg/l				
2,4,6-Triallyloxy-1,3,5-triazin 101-37-1	Süßwasser - zeitweise		0,07 mg/l				
2,4,6-Triallyloxy-1,3,5-triazin 101-37-1	Sediment (Süßwasser)				0,173 mg/kg		
2,4,6-Triallyloxy-1,3,5-triazin 101-37-1	Sediment (Salzwasser)				0,017 mg/kg		
2,4,6-Triallyloxy-1,3,5-triazin 101-37-1	Boden				0,057 mg/kg		
2,4,6-Triallyloxy-1,3,5-triazin 101-37-1	Kläranlage		10 mg/l				
2,4,6-Triallyloxy-1,3,5-triazin 101-37-1	oral				0,119 mg/kg		
2-[[2,2-Bis[[[1-oxoallyl)oxy)methyl]butoxy)methyl]-2-ethyl-1,3-propandiyldiacrylat 94108-97-1	Süßwasser		0,0012 mg/l				
2-[[2,2-Bis[[[1-oxoallyl)oxy)methyl]butoxy)methyl]-2-ethyl-1,3-propandiyldiacrylat 94108-97-1	Boden				0,096 mg/kg		
2-[[2,2-Bis[[[1-oxoallyl)oxy)methyl]butoxy)methyl]-2-ethyl-1,3-propandiyldiacrylat 94108-97-1	Sediment (Salzwasser)				0,005 mg/kg		
2-[[2,2-Bis[[[1-oxoallyl)oxy)methyl]butoxy)methyl]-2-ethyl-1,3-propandiyldiacrylat 94108-97-1	Sediment (Süßwasser)				0,048 mg/kg		
2-[[2,2-Bis[[[1-oxoallyl)oxy)methyl]butoxy)methyl]-2-ethyl-1,3-propandiyldiacrylat 94108-97-1	Kläranlage		100 mg/l				
2-[[2,2-Bis[[[1-oxoallyl)oxy)methyl]butoxy)methyl]-2-ethyl-1,3-propandiyldiacrylat 94108-97-1	Wasser (zeitweilige Freisetzung)		0,012 mg/l				
2-[[2,2-Bis[[[1-oxoallyl)oxy)methyl]butoxy)methyl]-2-ethyl-1,3-propandiyldiacrylat 94108-97-1	Salzwasser		0,00012 mg/l				
.alpha.,.alpha.-Dimethylbenzylhydroperoxid 80-15-9	Süßwasser		0,0031 mg/l				
.alpha.,.alpha.-Dimethylbenzylhydroperoxid 80-15-9	Wasser (zeitweilige Freisetzung)		0,031 mg/l				
.alpha.,.alpha.-Dimethylbenzylhydroperoxid 80-15-9	Salzwasser		0,00031 mg/l				
.alpha.,.alpha.-Dimethylbenzylhydroperoxid	Kläranlage		0,35 mg/l				

80-15-9							
.alpha.,.alpha.-Dimethylbenzylhydroperoxid 80-15-9	Sediment (Süßwasser)				0,023 mg/kg		
.alpha.,.alpha.-Dimethylbenzylhydroperoxid 80-15-9	Sediment (Salzwasser)				0,0023 mg/kg		
.alpha.,.alpha.-Dimethylbenzylhydroperoxid 80-15-9	Boden				0,0029 mg/kg		
Maleinsäure 110-16-7	Süßwasser		0,1 mg/l				
Maleinsäure 110-16-7	Wasser (zeitweilige Freisetzung)		0,4281 mg/l				
Maleinsäure 110-16-7	Sediment (Süßwasser)				0,334 mg/kg		
Maleinsäure 110-16-7	Kläranlage		44,6 mg/l				
Maleinsäure 110-16-7	Salzwasser		0,01 mg/l				
Maleinsäure 110-16-7	Sediment (Salzwasser)				0,0334 mg/kg		
Maleinsäure 110-16-7	Boden				0,0415 mg/kg		
Methacrylsäure 79-41-4	Süßwasser		0,82 mg/l				
Methacrylsäure 79-41-4	Süßwasser - zeitweise		0,45 mg/l				
Methacrylsäure 79-41-4	Salzwasser		0,082 mg/l				
Methacrylsäure 79-41-4	Kläranlage		100 mg/l				
Methacrylsäure 79-41-4	Sediment (Süßwasser)				3,09 mg/kg		
Methacrylsäure 79-41-4	Sediment (Salzwasser)				0,309 mg/kg		
Methacrylsäure 79-41-4	Boden				0,137 mg/kg		
Methacrylsäure 79-41-4	Raubtier						kein Potenzial für Bioakkumulation

**Derived No-Effect Level (DNEL):**

Name aus Liste	Anwendungsgebiet	Expositionsweg	Auswirkung auf die Gesundheit	Expositionsdauer	Wert	Bemerkungen
Tetramethyldimethacrylat 2082-81-7	Arbeitnehmer	dermal	Langfristige Exposition - systemische Effekte		4,2 mg/kg	
Tetramethyldimethacrylat 2082-81-7	Arbeitnehmer	Inhalation	Langfristige Exposition - systemische Effekte		14,5 mg/m <sup>3</sup>	
Tetramethyldimethacrylat 2082-81-7	Breite Öffentlichkeit	Inhalation	Langfristige Exposition - systemische Effekte		4,3 mg/m <sup>3</sup>	
Tetramethyldimethacrylat 2082-81-7	Breite Öffentlichkeit	dermal	Langfristige Exposition - systemische Effekte		2,5 mg/kg	
Tetramethyldimethacrylat 2082-81-7	Breite Öffentlichkeit	oral	Langfristige Exposition - systemische Effekte		2,5 mg/kg	
2,4,6-Triallyloxy-1,3,5-triazin 101-37-1	Arbeitnehmer	Inhalation	Akute/kurzfristige Exposition - systemische Effekte		134,4 mg/m <sup>3</sup>	
2,4,6-Triallyloxy-1,3,5-triazin 101-37-1	Arbeitnehmer	dermal	Langfristige Exposition - systemische Effekte		1,5 mg/kg	
2,4,6-Triallyloxy-1,3,5-triazin 101-37-1	Arbeitnehmer	Inhalation	Langfristige Exposition - systemische Effekte		2,12 mg/m <sup>3</sup>	
2,4,6-Triallyloxy-1,3,5-triazin 101-37-1	Breite Öffentlichkeit	Inhalation	Langfristige Exposition - systemische Effekte		0,52 mg/m <sup>3</sup>	
2,4,6-Triallyloxy-1,3,5-triazin 101-37-1	Breite Öffentlichkeit	dermal	Langfristige Exposition - systemische Effekte		0,75 mg/kg	
2,4,6-Triallyloxy-1,3,5-triazin 101-37-1	Breite Öffentlichkeit	oral	Langfristige Exposition - systemische Effekte		0,15 mg/kg	
.alpha.,.alpha.-Dimethylbenzylhydroperoxid 80-15-9	Arbeitnehmer	Inhalation	Langfristige Exposition - systemische Effekte		6 mg/m <sup>3</sup>	
Maleinsaeure 110-16-7	Arbeitnehmer	dermal	Akute/kurzfristige Exposition - lokale Effekte			
Maleinsaeure 110-16-7	Arbeitnehmer	dermal	Langfristige Exposition - lokale Effekte			
Maleinsaeure 110-16-7	Arbeitnehmer	dermal	Akute/kurzfristige Exposition - systemische Effekte			
Maleinsaeure 110-16-7	Arbeitnehmer	dermal	Langfristige Exposition - systemische Effekte			
Maleinsaeure 110-16-7	Arbeitnehmer	Inhalation	Akute/kurzfristige Exposition - lokale Effekte		3 mg/m <sup>3</sup>	
Maleinsaeure 110-16-7	Arbeitnehmer	Inhalation	Langfristige Exposition - systemische		3 mg/m <sup>3</sup>	

			Effekte			
Maleinsäure 110-16-7	Arbeitnehmer	Inhalation	Langfristige Exposition - lokale Effekte		3 mg/m <sup>3</sup>	
Maleinsäure 110-16-7	Arbeitnehmer	Inhalation	Akute/kurzfristige Exposition - systemische Effekte		3 mg/m <sup>3</sup>	
Methacrylsäure 79-41-4	Arbeitnehmer	Einatmung	Langfristige Exposition - lokale Effekte		88 mg/m <sup>3</sup>	kein Potenzial für Bioakkumulation
Methacrylsäure 79-41-4	Arbeitnehmer	Einatmung	Langfristige Exposition - systemische Effekte		29,6 mg/m <sup>3</sup>	kein Potenzial für Bioakkumulation
Methacrylsäure 79-41-4	Arbeitnehmer	dermal	Langfristige Exposition - systemische Effekte		4,25 mg/kg	kein Potenzial für Bioakkumulation
Methacrylsäure 79-41-4	Breite Öffentlichkeit	Einatmung	Langfristige Exposition - lokale Effekte		6,55 mg/m <sup>3</sup>	kein Potenzial für Bioakkumulation
Methacrylsäure 79-41-4	Breite Öffentlichkeit	Einatmung	Langfristige Exposition - systemische Effekte		6,3 mg/m <sup>3</sup>	kein Potenzial für Bioakkumulation
Methacrylsäure 79-41-4	Breite Öffentlichkeit	dermal	Langfristige Exposition - systemische Effekte		2,55 mg/kg	kein Potenzial für Bioakkumulation

**Biologischer Grenzwert (BGW):**

keine

**8.2. Begrenzung und Überwachung der Exposition:**

Hinweise zur Gestaltung technischer Anlagen:  
Für gute Be- und Entlüftung sorgen.

**Atemschutz:**

Für ausreichende Be- und Entlüftung sorgen.

Eine zugelassene Atemschutzmaske bzw. Atemschutzgerät mit geeigneter Kartusche für organische Dämpfe sollte getragen werden, wenn das Produkt in einer schlecht belüfteten Umgebung verwendet wird.

Filtertyp: A (EN 14387)

**Handschutz:**

Chemikalienbeständige Schutzhandschuhe (EN 374).

Geeignete Materialien bei kurzfristigem Kontakt bzw. Spritzern (Empfohlen: Mindestens Schutzindex 2, entsprechend > 30 Minuten Permeationszeit nach EN 374):

Nitrilkautschuk (NBR;  $\geq$  0,4 mm Schichtdicke)

Geeignete Materialien auch bei längerem, direktem Kontakt (Empfohlen: Schutzindex 6, entsprechend > 480 Minuten

Permeationszeit nach EN 374):

Nitrilkautschuk (NBR;  $\geq$  0,4 mm Schichtdicke)

Die Angaben basieren auf Literaturangaben und Informationen von Handschuhherstellern oder sind durch Analogieschluß von ähnlichen Stoffen abgeleitet. Es ist zu beachten, dass die Gebrauchsdauer eines Chemikalienschutzhandschuhs in der Praxis auf Grund der vielen Einflußfaktoren (z.B. Temperatur) deutlich kürzer als die nach EN 374 ermittelte Permeationszeit sein kann.

Bei Abnutzungserscheinungen ist der Handschuh zu wechseln.

**Augenschutz:**

Zum Schutz gegen mögliche Spritzer sollte eine Schutzbrille mit Seitenschildern oder eine dichtschießende Chemikalien-Schutzbrille.

Der Augenschutz sollte konform zur EN 166 sein.

**Körperschutz:**

Bei der Arbeit geeignete Schutzkleidung tragen.

Die Schutzkleidung sollte konform zur EN 14605 für Flüssigkeitsspritzer oder zur EN 13982 für Stäube sein.

**Hinweise zu persönlicher Schutzausrüstung:**

Die Informationen zur vorgeschlagenen persönlichen Schutzausrüstungen haben nur eine beratende Funktion. Eine vollständige Risikoabschätzung sollte vor der Verwendung des Produktes durchgeführt werden, um einzuschätzen, ob sich die angezeigten persönlichen Schutzausrüstungen für die örtlichen Gegebenheiten eignen. Die persönliche Schutzausrüstung sollte konform zu den maßgeblichen EU-Standards sein.

## ABSCHNITT 9: Physikalische und chemische Eigenschaften

### 9.1. Angaben zu den grundlegenden physikalischen und chemischen Eigenschaften

Lieferform	Flüssigkeit
Farbe	blau
Geruch	mild, Acryl
Aggregatzustand	flüssig
Schmelzpunkt	Nicht anwendbar, Produkt ist eine Flüssigkeit
Erstarrungstemperatur	< -30 °C (< -22 °F)
Siedebeginn	< 149 °C (< 300.2 °F)
Siedebeginn	> 70 °C (> 158 °F)
Siedebeginn	> 150 °C (> 302 °F)
Entzündbarkeit	Das Produkt ist nicht brennbar.
Explosionsgrenzen	Nicht anwendbar, Das Produkt ist nicht brennbar.
Flammpunkt	> 100 °C (> 212 °F)
Selbstentzündungstemperatur	Nicht anwendbar, Das Produkt ist nicht brennbar.
Zersetzungstemperatur	Nicht anwendbar, Stoff/Gemisch ist nicht selbstreagierend, kein organisches Peroxid und zersetzt sich nicht unter den vorgesehenen Verwendungsbedingungen
pH-Wert	Nicht anwendbar, Das Produkt ist unpolar/aprotisch.
Viskosität (kinematisch) (40 °C (104 °F); )	> 20,5 mm <sup>2</sup> /s
Löslichkeit qualitativ (Lsm.: Aceton)	löslich
Löslichkeit qualitativ (20 °C (68 °F); Lsm.: Wasser)	Leicht
Verteilungskoeffizient: n-Octanol/Wasser	Nicht anwendbar Gemisch
Dampfdruck (27 °C (80.6 °F))	< 0,1 mm Hg
Dampfdruck (25 °C (77 °F))	1,7 mbar
Dampfdruck (50 °C (122 °F))	< 300 mbar;keine Methode / Methode unbekannt
Dampfdruck (20 °C (68 °F))	< 0,13 mbar
Dichte (20 °C (68 °F))	1,08 g/cm <sup>3</sup> keine Methode / Methode unbekannt
Relative Dampfdichte: (20 °C)	> 1
Partikeleigenschaften	Nicht anwendbar Produkt ist eine Flüssigkeit

### 9.2. Sonstige Angaben

Weitere Informationen treffen nicht auf dieses Produkt zu

**ABSCHNITT 10: Stabilität und Reaktivität****10.1. Reaktivität**

Reagiert mit starken Oxidationsmitteln.  
Säuren.  
Reduktionsmittel.  
Starke Basen.

**10.2. Chemische Stabilität**

Stabil unter angegebenen Lagerungsbedingungen.

**10.3. Möglichkeit gefährlicher Reaktionen**

Siehe Abschnitt Reaktivität

**10.4. Zu vermeidende Bedingungen**

Unter normalen Lagerungs- und Anwendungsbedingungen stabil.

**10.5. Unverträgliche Materialien**

Siehe Abschnitt Reaktivität.

**10.6. Gefährliche Zersetzungsprodukte**

Kohlenoxide  
Kohlenwasserstoffe  
Stickoxide  
Schnelle Polymerisation kann zu übermäßiger Hitze- und Druckentwicklung führen.

**ABSCHNITT 11: Toxikologische Angaben****11.1 Angaben zu den Gefahrenklassen im Sinne der Verordnung (EG) Nr. 1272/2008****Akute orale Toxizität:**

Das Gemisch ist gemäß der Kalkulationsmethode, basierend auf den im Gemisch enthaltenen eingestufteten Inhaltsstoffen eingestuft.

Gefährliche Inhaltsstoffe CAS-Nr.	Werttyp	Wert	Spezies	Methode
Tetramethyldimethacrylat 2082-81-7	LD50	10.066 mg/kg	Ratte	equivalent or similar to OECD Guideline 401 (Acute Oral Toxicity)
2,4,6-Triallyloxy-1,3,5-triazin 101-37-1	LD50	753 mg/kg	Ratte	OECD Guideline 401 (Acute Oral Toxicity)
2-[[[2,2-Bis[[[1-(oxoallyloxy)methyl]butoxy]methyl]-2-ethyl-1,3-propandiyldiacrylat 94108-97-1	LD50	> 5.000 mg/kg	Ratte	OECD Guideline 401 (Acute Oral Toxicity)
$\alpha$ , $\alpha$ -Dimethylbenzylhydroperoxid 80-15-9	LD50	382 mg/kg	Ratte	weitere Richtlinien:
Maleinsäure 110-16-7	LD50	708 mg/kg	Ratte	nicht spezifiziert
2-Phenylacetohydrazid 114-83-0	LD50	310 mg/kg	Ratte	OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure)
Methacrylsäure 79-41-4	LD50	1.320 mg/kg	Ratte	equivalent or similar to OECD Guideline 401 (Acute Oral Toxicity)
1,4-Naphthochinon 130-15-4	LD50	124 mg/kg	Ratte	equivalent or similar to OECD Guideline 401 (Acute Oral Toxicity)

**Akute dermale Toxizität:**

Das Gemisch ist gemäß der Kalkulationsmethode, basierend auf den im Gemisch enthaltenen eingestufteten Inhaltsstoffen eingestuft.

Gefährliche Inhaltsstoffe CAS-Nr.	Werttyp	Wert	Spezies	Methode
Tetramethyldimethacrylat 2082-81-7	LD50	> 3.000 mg/kg	Kaninchen	nicht spezifiziert
2,4,6-Triallyloxy-1,3,5-triazin 101-37-1	LD50	> 2.000 mg/kg	Kaninchen	OECD Guideline 402 (Acute Dermal Toxicity)
2-[[[2,2-Bis[[[1-oxoallyl]oxy]methyl]butoxy]methyl]-2-ethyl-1,3-propandiyldiacrylat 94108-97-1	LD50	> 2.000 mg/kg	Ratte	nicht spezifiziert
$\alpha$ , $\alpha$ -Dimethylbenzylhydroperoxid 80-15-9	Acute toxicity estimate (ATE)	1.100 mg/kg		Expertenbewertung
Maleinsäure 110-16-7	LD50	1.560 mg/kg	Kaninchen	nicht spezifiziert
Methacrylsäure 79-41-4	LD50	500 - 1.000 mg/kg	Kaninchen	Dermales Toxizität Screening
Methacrylsäure 79-41-4	Acute toxicity estimate (ATE)	500 mg/kg		Expertenbewertung

**Akute inhalative Toxizität:**

Das Gemisch ist gemäß der Kalkulationsmethode, basierend auf den im Gemisch enthaltenen eingestufteten Inhaltsstoffen eingestuft.

Gefährliche Inhaltsstoffe CAS-Nr.	Werttyp	Wert	Testatmosphäre	Expositionsdauer	Spezies	Methode
$\alpha$ , $\alpha$ -Dimethylbenzylhydroperoxid 80-15-9	LC50	1,370 mg/l	Dampf	4 h	Ratte	nicht spezifiziert
Methacrylsäure 79-41-4	LC50	3,19 - 6,5 mg/l	Staub/Nebel	4 h	Ratte	equivalent or similar to OECD Guideline 403 (Acute Inhalation Toxicity)
Methacrylsäure 79-41-4	Acute toxicity estimate (ATE)	3,19 mg/l	Staub/Nebel			Expertenbewertung
1,4-Naphthochinon 130-15-4	LC50	0,046 mg/l	Staub/Nebel	4 h	Ratte	OECD Guideline 403 (Acute Inhalation Toxicity)

**Ätz-/Reizwirkung auf die Haut:**

Das Gemisch ist gemäß der Kalkulationsmethode, basierend auf den im Gemisch enthaltenen eingestufteten Inhaltsstoffen eingestuft.

Gefährliche Inhaltsstoffe CAS-Nr.	Ergebnis	Expositionsdauer	Spezies	Methode
Tetramethyldimethacrylat 2082-81-7	nicht reizend	24 h	Kaninchen	FDA Richtlinie
$\alpha$ , $\alpha$ -Dimethylbenzylhydroperoxid 80-15-9	ätzend		Kaninchen	Draize Test
Maleinsäure 110-16-7	reizend	24 h	Mensch	Patch Test
2'-Phenylacetohydrazid 114-83-0	not corrosive		Human, EpiSkin™ (SM), Reconstructed Human Epidermis (RHE)	OECD 431 (In Vitro Skin Corrosion: Reconstructed Human Epidermis (RHE) Test Method)
2'-Phenylacetohydrazid 114-83-0	nicht reizend		Human, EpiSkin™ (SM), Reconstructed Human Epidermis (RHE)	OECD 439 (In Vitro Skin Irritation: Reconstructed Human Epidermis (RHE) Test Method)
Methacrylsäure 79-41-4	ätzend	3 min	Kaninchen	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
1,4-Naphthochinon 130-15-4	Category 1C (corrosive)		Kaninchen	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

**Schwere Augenschädigung/-reizung:**

Das Gemisch ist gemäß der Kalkulationsmethode, basierend auf den im Gemisch enthaltenen eingestufteten Inhaltsstoffen eingestuft.

Gefährliche Inhaltsstoffe CAS-Nr.	Ergebnis	Expositions-dauer	Spezies	Methode
Tetramethyldimethacrylat 2082-81-7	nicht reizend		Kaninchen	equivalent or similar to OECD Guideline 405 (Acute Eye Irritation / Corrosion)
2-[[2,2-Bis[[[1-oxoallyl]oxy]methyl]butoxy]methyl]-2-ethyl-1,3-propandiyldiacrylat 94108-97-1	Kategorie 2 (reizend)		Kaninchen	EU Method B.5 (Acute Toxicity: Eye Irritation / Corrosion)
Maleinsäure 110-16-7	Gefahr ernster Augenschäden		Kaninchen	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
2'-Phenylacetohydrazid 114-83-0	nicht reizend		Huhn, Auge, isoliert	OECD 438 (Isolated Chicken Eye Test Method)
Methacrylsäure 79-41-4	ätzend		Kaninchen	Draize Test

**Sensibilisierung der Atemwege/Haut:**

Das Gemisch ist auf der Grundlage von Grenzwerten, basierend auf den im Gemisch enthaltenen eingestufteten Inhaltsstoffen eingestuft.

Gefährliche Inhaltsstoffe CAS-Nr.	Ergebnis	Testtyp	Spezies	Methode
Tetramethyldimethacrylat 2082-81-7	sensibilisierend	locales Maus-Lymphnode Muster	Maus	OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)
Maleinsäure 110-16-7	sensibilisierend	locales Maus-Lymphnode Muster	Maus	OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)
Maleinsäure 110-16-7	sensibilisierend	locales Maus-Lymphnode Muster	Meerschweinchen	OECD Guideline 406 (Skin Sensitisation)
2'-Phenylacetohydrazid 114-83-0	positiv	Direct peptide reactivity assay (DPRA)	cysteine and lysine, in chemico test	OECD 442 C (Direct Peptide Reactivity Assay (DPRA))
2'-Phenylacetohydrazid 114-83-0	positiv	Activation of keratinocytes	human keratinocytes, in vitro test	OECD 442 D (ARE-Nrf2 Luciferase Test Method)
2'-Phenylacetohydrazid 114-83-0	positiv	activation of dendritic cells	human monocytes, in vitro test	OECD Guideline 442E (H-CLAT: Human Cell Line Activation Test)
Methacrylsäure 79-41-4	nicht sensibilisierend	Buehler test	Meerschweinchen	equivalent or similar to OECD Guideline 406 (Skin Sensitisation)
1,4-Naphthochinon 130-15-4	sensibilisierend	nicht spezifiziert	Meerschweinchen	nicht spezifiziert

**Keimzell-Mutagenität:**

Das Gemisch ist auf der Grundlage von Grenzwerten, basierend auf den im Gemisch enthaltenen eingestufteten Inhaltsstoffen eingestuft.

Gefährliche Inhaltsstoffe CAS-Nr.	Ergebnis	Studientyp / Verabreichungsroute	Metabolische Aktivierung/ Expositionszeit	Spezies	Methode
Tetramethyldimethacrylat 2082-81-7	negativ	in vitro Säugetierchromosomen Anomalien-Test	mit und ohne		OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
Tetramethyldimethacrylat 2082-81-7	negativ	bacterial reverse mutation assay (e.g Ames test)	mit und ohne		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Tetramethyldimethacrylat 2082-81-7	positiv	in vitro Säugetierchromosomen Anomalien-Test	mit und ohne		OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
$\alpha$ , $\alpha$ -Dimethylbenzylhydroperoxid 80-15-9	positiv	bacterial reverse mutation assay (e.g Ames test)	ohne		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Maleinsäure 110-16-7	negativ	bacterial reverse mutation assay (e.g Ames test)	keine Daten		Ames Test
Maleinsäure 110-16-7	negativ	Säugetierzell-Genmutationsmuster	mit und ohne		OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
2'-Phenylacetohydrazid 114-83-0	positiv	bacterial reverse mutation assay (e.g Ames test)	mit und ohne		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
2'-Phenylacetohydrazid 114-83-0	negativ	in vitro Säugetierzell-Micronucleus Test	mit und ohne		OECD Guideline 487 (In vitro Mammalian Cell Micronucleus Test)
Methacrylsäure 79-41-4	negativ	bacterial reverse mutation assay (e.g Ames test)	mit und ohne		equivalent or similar to OECD Guideline 471 (Bacterial Reverse Mutation Assay)

**Karzinogenität**

Das Gemisch ist auf der Grundlage von Grenzwerten, basierend auf den im Gemisch enthaltenen eingestufteten Inhaltsstoffen eingestuft.

Gefährliche Inhaltsstoffe CAS-Nr.	Ergebnis	Aufnahmeweg	Expositions dauer / Häufigkeit der Behandlung	Spezies	Geschlecht	Methode
Maleinsäure 110-16-7	nicht krebserzeugend	oral, im Futter	2 y daily	Ratte	männlich / weiblich	OECD Guideline 451 (Carcinogenicity Studies)
2'-Phenylacetohydrazid 114-83-0	krebserzeugend	oral: Trinkwasser	continuous	Maus	männlich / weiblich	nicht spezifiziert
Methacrylsäure 79-41-4	nicht krebserzeugend	Inhalation	2 y	Maus	männlich / weiblich	OECD Guideline 451 (Carcinogenicity Studies)

**Reproduktionstoxizität:**

Das Gemisch ist auf der Grundlage von Grenzwerten, basierend auf den im Gemisch enthaltenen eingestufteten Inhaltsstoffen eingestuft.

Gefährliche Inhaltsstoffe CAS-Nr.	Ergebnis / Wert	Testtyp	Aufnahmeweg	Spezies	Methode
Maleinsäure 110-16-7	NOAEL F1 150 mg/kg NOAEL F2 55 mg/kg	2- Generatione n-Studie	oral über eine Sonde	Ratte	OECD Guideline 416 (Two- Generation Reproduction Toxicity Study)
Methacrylsäure 79-41-4	NOAEL P 50 mg/kg NOAEL F1 400 mg/kg NOAEL F2 400 mg/kg	2- Generatione n-Studie	oral über eine Sonde	Ratte	OECD Guideline 416 (Two- Generation Reproduction Toxicity Study)

**Spezifische Zielorgan-Toxizität bei einmaliger Exposition:**

Das Gemisch ist auf der Grundlage von Grenzwerten, basierend auf den im Gemisch enthaltenen eingestufteten Inhaltsstoffen eingestuft.

Gefährliche Inhaltsstoffe CAS-Nr.	Beurteilung	Expositions- weg	Zielorgane	Bemerkungen
Methacrylsäure 79-41-4	Kann die Atemwege reizen.			

**Spezifische Zielorgan-Toxizität bei wiederholter Exposition:**

Das Gemisch ist auf der Grundlage von Grenzwerten, basierend auf den im Gemisch enthaltenen eingestufteten Inhaltsstoffen eingestuft.

Gefährliche Inhaltsstoffe CAS-Nr.	Ergebnis / Wert	Aufnahmeweg	Expositionsdauer / Frequenz der Anwendungen	Spezies	Methode
$\alpha$ , $\alpha$ - Dimethylbenzylhydroperoxid 80-15-9		Inhalation : Aerosol	6 h/d 5 d/w	Ratte	nicht spezifiziert
Maleinsäure 110-16-7	NOAEL $\geq$ 40 mg/kg	oral, im Futter	90 d daily	Ratte	OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
Methacrylsäure 79-41-4		Inhalation	90 d 6 h/d, 5 d/w	Ratte	OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day)

**Aspirationsgefahr:**

Keine Daten vorhanden.

**11.2 Angaben über sonstige Gefahren**

Keine Daten vorhanden

**ABSCHNITT 12: Umweltbezogene Angaben****Allgemeine Angaben zur Ökologie:**

Nicht in die Kanalisation / Oberflächenwasser / Grundwasser gelangen lassen.

**12.1. Toxizität****Toxizität (Fisch):**

Das Gemisch ist gemäß der Kalkulationsmethode, basierend auf den im Gemisch enthaltenen eingestufteten Inhaltsstoffen eingestuft.

Die nachstehende Tabelle enthält die Daten der eingestufteten Stoffe, die in dem Gemisch enthalten sind.

Gefährliche Inhaltsstoffe CAS-Nr.	Werttyp	Wert	Expositionsdauer	Spezies	Methode
Tetramethyldimethacrylat 2082-81-7	LC50	32,5 mg/l	48 h		DIN 38412-15
2,4,6-Triallyloxy-1,3,5-triazin 101-37-1	LC50	4,36 mg/l	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish, Acute Toxicity Test)
2-[[2,2-Bis[[[1-oxoallyl]oxy]methyl]butoxy]methyl]-2-ethyl-1,3-propandiyldiacrylat 94108-97-1	LC50	1,2 mg/l	96 h	Cyprinus carpio	OECD Guideline 203 (Fish, Acute Toxicity Test)
$\alpha$ , $\alpha$ -Dimethylbenzylhydroperoxid 80-15-9	LC50	3,9 mg/l	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish, Acute Toxicity Test)
Maleinsäure 110-16-7	LC50	> 245 mg/l	48 h	Leuciscus idus	DIN 38412-15
Methacrylsäure 79-41-4	LC50	85 mg/l	96 h	Salmo gairdneri (new name: Oncorhynchus mykiss)	EPA OTS 797.1400 (Fish Acute Toxicity Test)
Methacrylsäure 79-41-4	NOEC	10 mg/l	35 d	Danio rerio	OECD 210 (fish early life stage toxicity test)
1,4-Naphthochinon 130-15-4	LC50	0,045 mg/l	96 h	Oryzias latipes	OECD Guideline 203 (Fish, Acute Toxicity Test)

**Toxizität (wirbellose Wassertiere):**

Das Gemisch ist gemäß der Kalkulationsmethode, basierend auf den im Gemisch enthaltenen eingestufteten Inhaltsstoffen eingestuft.

Die nachstehende Tabelle enthält die Daten der eingestufteten Stoffe, die in dem Gemisch enthalten sind.

Gefährliche Inhaltsstoffe CAS-Nr.	Werttyp	Wert	Expositionsdauer	Spezies	Methode
2,4,6-Triallyloxy-1,3,5-triazin 101-37-1	EC50	19,4 mg/l	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
2-[[2,2-Bis[[[1-oxoallyl]oxy]methyl]butoxy]methyl]-2-ethyl-1,3-propandiyldiacrylat 94108-97-1	EC50	> 10 - 100 mg/l	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
$\alpha$ , $\alpha$ -Dimethylbenzylhydroperoxid 80-15-9	EC50	18,84 mg/l	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Maleinsäure 110-16-7	EC50	42,81 mg/l	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
2'-Phenylacetohydrazid 114-83-0	EC50	1,1 mg/l	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Methacrylsäure 79-41-4	EC50	> 130 mg/l	48 h	Daphnia magna	EPA OTS 797.1300 (Aquatic Invertebrate Acute Toxicity Test, Freshwater Daphnids)
1,4-Naphthochinon 130-15-4	EC50	0,026 mg/l	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute)



Das Gemisch ist gemäß der Kalkulationsmethode, basierend auf den im Gemisch enthaltenen eingestufteten Inhaltsstoffen eingestuft.

Die nachstehende Tabelle enthält die Daten der eingestufteten Stoffe, die in dem Gemisch enthalten sind.

Gefährliche Inhaltsstoffe CAS-Nr.	Werttyp	Wert	Expositionsdauer	Spezies	Methode
Tetramethyldimethacrylat 2082-81-7	EC50	9,79 mg/l	72 h	Desmodesmus subspicatus	OECD Guideline 201 (Alga, Growth Inhibition Test)
Tetramethyldimethacrylat 2082-81-7	NOEC	2,11 mg/l	72 h	Desmodesmus subspicatus	OECD Guideline 201 (Alga, Growth Inhibition Test)
2-[[2,2-Bis[[[1-oxoallyl]oxy]methyl]butoxy]methyl]-2-ethyl-1,3-propandiyldiacrylat 94108-97-1	EC50	> 12 mg/l	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
2-[[2,2-Bis[[[1-oxoallyl]oxy]methyl]butoxy]methyl]-2-ethyl-1,3-propandiyldiacrylat 94108-97-1	NOEC	> 0,1 - 1 mg/l	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
$\alpha$ , $\alpha$ -Dimethylbenzylhydroperoxid 80-15-9	EC50	3,1 mg/l	72 h	Desmodesmus subspicatus (reported as Scenedesmus subspicatus)	OECD Guideline 201 (Alga, Growth Inhibition Test)
$\alpha$ , $\alpha$ -Dimethylbenzylhydroperoxid 80-15-9	NOEC	1 mg/l	72 h	Desmodesmus subspicatus (reported as Scenedesmus subspicatus)	OECD Guideline 201 (Alga, Growth Inhibition Test)
Maleinsäure 110-16-7	EC50	74,35 mg/l	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
Maleinsäure 110-16-7	EC10	11,8 mg/l	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
2'-Phenylacetohydrazid 114-83-0	EC50	0,258 mg/l	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
2'-Phenylacetohydrazid 114-83-0	NOEC	0,012 mg/l	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
Methacrylsäure 79-41-4	NOEC	8,2 mg/l	72 h	Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata)	OECD Guideline 201 (Alga, Growth Inhibition Test)
Methacrylsäure 79-41-4	EC50	45 mg/l	72 h	Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata)	OECD Guideline 201 (Alga, Growth Inhibition Test)
1,4-Naphthochinon 130-15-4	NOEC	0,07 mg/l	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
1,4-Naphthochinon 130-15-4	EC50	0,42 mg/l	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)

#### Toxizität (Mikroorganismen):

Das Gemisch ist gemäß der Kalkulationsmethode, basierend auf den im Gemisch enthaltenen eingestufteten Inhaltsstoffen eingestuft.

Die nachstehende Tabelle enthält die Daten der eingestufteten Stoffe, die in dem Gemisch enthalten sind.

Gefährliche Inhaltsstoffe CAS-Nr.	Werttyp	Wert	Expositionsdauer	Spezies	Methode
Tetramethyldimethacrylat 2082-81-7	NOEC	20 mg/l	28 d	activated sludge, domestic	nicht spezifiziert
2,4,6-Triallyloxy-1,3,5-triazin 101-37-1	EC0	5 mg/l	3 h		OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)
$\alpha$ , $\alpha$ -Dimethylbenzylhydroperoxid 80-15-9	EC10	70 mg/l	30 min	nicht spezifiziert	nicht spezifiziert
Maleinsäure 110-16-7	EC10	44,6 mg/l	18 h	Pseudomonas putida	DIN 38412, part 8 (Pseudomonas Zellvermehrungshemm-Test)
Methacrylsäure 79-41-4	EC10	100 mg/l	17 h	Pseudomonas putida	DIN 38412, part 8 (Pseudomonas Zellvermehrungshemm-Test)
1,4-Naphthochinon 130-15-4	EC50	5,94 mg/l	3 h	activated sludge of a predominantly domestic sewage	OECD Guideline 209 (Activated Sludge,

Respiration Inhibition Test

**12.2. Persistenz und Abbaubarkeit**

Die nachstehende Tabelle enthält die Daten der eingestufteten Stoffe, die in dem Gemisch enthalten sind.

Gefährliche Inhaltsstoffe CAS-Nr.	Ergebnis	Testtyp	Abbaubarkeit	Expositions dauer	Methode
Tetramethyldimethacrylat 2082-81-7	leicht biologisch abbaubar	aerob	84 %	28 d	OECD Guideline 310 (Ready Biodegradability CO <sub>2</sub> in Sealed Vessels (Headspace Test))
2,4,6-Triallyloxy-1,3,5-triazin 101-37-1		aerob	> 7 - 9 %	28 d	OECD Guideline 301 B (Ready Biodegradability: CO <sub>2</sub> Evolution Test)
2-[[2,2-Bis[[[1-oxoallyl]oxy]methyl]butoxy]methyl]-2-ethyl-1,3-propandiyldiacrylat 94108-97-1		aerob	4 - 14 %	29 d	OECD Guideline 301 B (Ready Biodegradability: CO <sub>2</sub> Evolution Test)
$\alpha$ , $\alpha$ -Dimethylbenzylhydroperoxid 80-15-9	Nicht leicht biologisch abbaubar.	aerob	3 %	28 d	OECD Guideline 301 B (Ready Biodegradability: CO <sub>2</sub> Evolution Test)
Maleinsäure 110-16-7	leicht biologisch abbaubar	aerob	97,08 %	28 d	OECD Guideline 301 B (Ready Biodegradability: CO <sub>2</sub> Evolution Test)
2'-Phenylacetohydrazid 114-83-0	Nicht leicht biologisch abbaubar.	aerob	39 %	28 d	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)
Methacrylsäure 79-41-4	leicht biologisch abbaubar	aerob	86 %	28 d	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)
Methacrylsäure 79-41-4	natürlich biologisch abbaubar	aerob	100 %	14 d	OECD Guideline 302 B (Inherent biodegradability: Zahn-Wellens/EMPA Test)
1,4-Naphthochinon 130-15-4	Nicht leicht biologisch abbaubar.	aerob	0 %	28 d	OECD Guideline 301 F (Ready Biodegradability: Manometric Respirometry Test)

**12.3. Bioakkumulationspotenzial**

Die nachstehende Tabelle enthält die Daten der eingestufteten Stoffe, die in dem Gemisch enthalten sind.

Gefährliche Inhaltsstoffe CAS-Nr.	Biokonzentrationsfaktor (BCF)	Expositionsdauer	Temperatur	Spezies	Methode
$\alpha$ , $\alpha$ -Dimethylbenzylhydroperoxid 80-15-9	9,1			Berechnung	OECD Guideline 305 (Bioconcentration: Flow-through Fish Test)

**12.4. Mobilität im Boden**

Die nachstehende Tabelle enthält die Daten der eingestufteten Stoffe, die in dem Gemisch enthalten sind.

Gefährliche Inhaltsstoffe CAS-Nr.	LogPow	Temperatur	Methode
Tetramethyldimethacrylat 2082-81-7	3,1		OECD Guideline 117 (Partition Coefficient (n-octanol / water), HPLC Method)
2,4,6-Triallyloxy-1,3,5-triazin 101-37-1	2,8	20 °C	nicht spezifiziert
2-[[2,2-Bis[[[1-oxoallyl]oxy]methyl]butoxy]methyl]-2-ethyl-1,3-propandiyldiacrylat 94108-97-1	4,14	30 °C	OECD Guideline 117 (Partition Coefficient (n-octanol / water), HPLC Method)
$\alpha$ , $\alpha$ -Dimethylbenzylhydroperoxid 80-15-9	1,6	25 °C	OECD Guideline 117 (Partition Coefficient (n-octanol / water), HPLC Method)
Maleinsäure 110-16-7	-1,3	20 °C	OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method)
2'-Phenylacetohydrazid 114-83-0	0,74		QSAR (Quantitative Structure Activity Relationship)
Methacrylsäure 79-41-4	0,93	22 °C	OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method)
1,4-Naphthochinon 130-15-4	1,71		nicht spezifiziert

**12.5. Ergebnisse der PBT- und vPvB-Beurteilung**

Die nachstehende Tabelle enthält die Daten der eingestufteten Stoffe, die in dem Gemisch enthalten sind.

Gefährliche Inhaltsstoffe CAS-Nr.	PBT / vPvB
Tetramethyldimethacrylat 2082-81-7	Erfüllt nicht die Kriterien Persistent, Bioakkumulativ und Toxisch (PBT), sehr Persistent und sehr Bioakkumulativ (vPvB).
2,4,6-Triallyloxy-1,3,5-triazin 101-37-1	Erfüllt nicht die Kriterien Persistent, Bioakkumulativ und Toxisch (PBT), sehr Persistent und sehr Bioakkumulativ (vPvB).
2-[[2,2-Bis[[[1-oxoallyl]oxy]methyl]butoxy]methyl]-2-ethyl-1,3-propandiyldiacrylat 94108-97-1	Erfüllt nicht die Kriterien Persistent, Bioakkumulativ und Toxisch (PBT), sehr Persistent und sehr Bioakkumulativ (vPvB).
$\alpha$ , $\alpha$ -Dimethylbenzylhydroperoxid 80-15-9	Erfüllt nicht die Kriterien Persistent, Bioakkumulativ und Toxisch (PBT), sehr Persistent und sehr Bioakkumulativ (vPvB).
Maleinsäure 110-16-7	Erfüllt nicht die Kriterien Persistent, Bioakkumulativ und Toxisch (PBT), sehr Persistent und sehr Bioakkumulativ (vPvB).
2'-Phenylacetohydrazid 114-83-0	Erfüllt nicht die Kriterien Persistent, Bioakkumulativ und Toxisch (PBT), sehr Persistent und sehr Bioakkumulativ (vPvB).
Methacrylsäure 79-41-4	Erfüllt nicht die Kriterien Persistent, Bioakkumulativ und Toxisch (PBT), sehr Persistent und sehr Bioakkumulativ (vPvB).
1,4-Naphthochinon 130-15-4	Erfüllt nicht die Kriterien Persistent, Bioakkumulativ und Toxisch (PBT), sehr Persistent und sehr Bioakkumulativ (vPvB).

**12.6. Endokrinschädliche Eigenschaften**

Keine Daten vorhanden

**12.7. Andere schädliche Wirkungen**

Keine Daten vorhanden.

**ABSCHNITT 13: Hinweise zur Entsorgung****13.1. Verfahren der Abfallbehandlung**

Entsorgung des Produktes:  
Nicht in die Kanalisation / Oberflächenwasser / Grundwasser gelangen lassen.  
Gemäß einschlägiger örtlicher und nationaler Vorschriften entsorgen.

Entsorgung ungereinigter Verpackung:  
Nach Gebrauch sind Tuben, Gebinde und Flaschen, die noch Restanhaftungen des Produktes enthalten, als Sondermüll zu entsorgen.

**Abfallschlüssel**

08 04 09\* Klebstoff- und Dichtmassenabfälle, die organische Lösemittel oder andere gefährliche Stoffe enthalten  
Die EAK-Abfallschlüssel sind nicht produkt- sondern herkunftsbezogen. Der Hersteller kann daher für die Produkte, die in unterschiedlichen Branchen Anwendung finden, keinen Abfallschlüssel angeben. Die aufgeführten Schlüssel sind als Empfehlung für den Anwender zu verstehen.

## ABSCHNITT 14: Angaben zum Transport

**14.1. UN-Nummer oder ID-Nummer**

ADR	Kein Gefahrgut
RID	Kein Gefahrgut
ADN	Kein Gefahrgut
IMDG	Kein Gefahrgut
IATA	Kein Gefahrgut

**14.2. Ordnungsgemäße UN-Versandbezeichnung**

ADR	Kein Gefahrgut
RID	Kein Gefahrgut
ADN	Kein Gefahrgut
IMDG	Kein Gefahrgut
IATA	Kein Gefahrgut

**14.3. Transportgefahrenklassen**

ADR	Kein Gefahrgut
RID	Kein Gefahrgut
ADN	Kein Gefahrgut
IMDG	Kein Gefahrgut
IATA	Kein Gefahrgut

**14.4. Verpackungsgruppe**

ADR	Kein Gefahrgut
RID	Kein Gefahrgut
ADN	Kein Gefahrgut
IMDG	Kein Gefahrgut
IATA	Kein Gefahrgut

**14.5. Umweltgefahren**

ADR	Nicht anwendbar
RID	Nicht anwendbar
ADN	Nicht anwendbar
IMDG	Nicht anwendbar
IATA	Nicht anwendbar

**14.6. Besondere Vorsichtsmaßnahmen für den Verwender**

ADR	Nicht anwendbar
-----	-----------------

RID	Nicht anwendbar
ADN	Nicht anwendbar
IMDG	Nicht anwendbar
IATA	Nicht anwendbar

**14.7. Massengutbeförderung auf dem Seeweg gemäß IMO-Instrumenten**

Nicht anwendbar

**ABSCHNITT 15: Rechtsvorschriften**

**15.1. Vorschriften zu Sicherheit, Gesundheits- und Umweltschutz/spezifische Rechtsvorschriften für den Stoff oder das Gemisch**

Ozon-schädliche Substanzen (ODS) nach Verordnung (EG) Nr. 1005/2009:	Nicht anwendbar
Dem PIC-Verfahren unterliegenden Chemikalien nach Verordnung (EU) Nr. 649/2012:	Nicht anwendbar
Persistente organische Schadstoffe (POPs) nach Verordnung (EU) 2019/1021:	Nicht anwendbar
VOC-Gehalt (2010/75/EC)	< 3 %

**15.2. Stoffsicherheitsbeurteilung**

Eine Stoffsicherheitsbeurteilung wurde nicht durchgeführt.

**Nationale Vorschriften/Hinweise (Deutschland):**

WGK:	WGK 2: deutlich wassergefährdend (Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV) ) Einstufung nach AwSV, Anlage 1 (5.2)
Lagerklasse gemäß TRGS 510:	10

## ABSCHNITT 16: Sonstige Angaben

Die Kennzeichnung des Produktes ist in Kapitel 2 aufgeführt. Vollständiger Wortlaut aller Abkürzungen im vorliegenden Sicherheitsdatenblatt sind wie folgt:

- H242 Erwärmung kann Brand verursachen.
- H301 Giftig bei Verschlucken.
- H302 Gesundheitsschädlich bei Verschlucken.
- H311 Giftig bei Hautkontakt.
- H312 Gesundheitsschädlich bei Hautkontakt.
- H314 Verursacht schwere Verätzungen der Haut und schwere Augenschäden.
- H315 Verursacht Hautreizungen.
- H317 Kann allergische Hautreaktionen verursachen.
- H318 Verursacht schwere Augenschäden.
- H319 Verursacht schwere Augenreizung.
- H330 Lebensgefahr bei Einatmen.
- H332 Gesundheitsschädlich bei Einatmen.
- H335 Kann die Atemwege reizen.
- H351 Kann vermutlich Krebs erzeugen.
- H373 Kann die Organe schädigen bei längerer oder wiederholter Exposition.
- H400 Sehr giftig für Wasserorganismen.
- H410 Sehr giftig für Wasserorganismen mit langfristiger Wirkung.
- H411 Giftig für Wasserorganismen, mit langfristiger Wirkung.

ED:	Stoff besitzt Endokrin-aktive Eigenschaften (Endokrin Disruptor-Eigenschaften)
EU OEL:	Stoff mit einem EU-Arbeitsplatzgrenzwert
EU EXPLD 1:	Stoff ist im Anhang I der Verordnung (EU) 2019/1148 genannt
EU EXPLD 2	Stoff ist im Anhang II der Verordnung (EU) 2019/1148 genannt
SVHC:	besonders besorgnis-erregende Substanz (SVHC – substance of very high concern) der Reach Kandidaten-Liste
PBT:	Stoff, der die persistenten, bioakkumulativen und toxischen Kriterien erfüllt
PBT/vPvB:	Stoff, der die persistenten, bioakkumulativen und toxischen, sowie die sehr persistenten und sehr bioakkumulativen Kriterien erfüllt
vPvB:	Stoff, der die sehr persistenten und sehr bioakkumulativen Kriterien erfüllt

### Weitere Informationen:

Dieses Sicherheitsdatenblatt wurde erstellt für den Verkauf von Henkel an Kunden, die bei Henkel einkaufen. Es basiert auf der Verordnung (EG) Nr. 1907/2006 und enthält nur Informationen in Übereinstimmung mit den geltenden Vorschriften der Europäischen Union. In diesem Zusammenhang wird keinerlei Erklärung, Gewährleistung oder Zusicherung hinsichtlich der Einhaltung von Gesetzen oder Vorschriften anderer Gerichtsbarkeiten oder Regionen außerhalb der Europäischen Union abgegeben.

Wenn Sie in ein anderes Gebiet als die Europäische Union exportieren, konsultieren Sie bitte das entsprechende Sicherheitsdatenblatt des betreffenden Landes oder der Region, um eine Einhaltung sicherzustellen, oder kontaktieren Sie die Henkel Abteilung: Product Safety and Regulatory Affairs (SDSinfo.Adhesive@henkel.com) um den Export in andere Länder oder Regionen als die Europäische Union vor eine Ausfuhr abzuklären.

Die Angaben stützen sich auf den heutigen Stand unserer Kenntnisse und beziehen sich auf das Produkt im Anlieferungszustand. Sie sollen unsere Produkte im Hinblick auf Sicherheitserfordernisse beschreiben und haben somit nicht die Bedeutung, bestimmte Eigenschaften zuzusichern.

Sehr geehrter Kunde,  
Henkel engagiert sich dafür eine nachhaltige Zukunft zu schaffen, indem wir verschiedene Möglichkeiten entlang der gesamten Wertschöpfungskette fördern. Wenn Sie sich an diesem Vorhaben beteiligen möchten, indem Sie von der Papier- zu unserer elektronischen SDB-Übermittlung wechseln, kontaktieren Sie bitte Ihren lokalen Ansprechpartner im Kundendienst. Wir empfehlen dabei als Adressaten eine nicht-personenbezogene E-Mail Adresse wie z.B. SDS@Ihre\_Firma.com .

**Relevante Änderungen werden in diesem Sicherheitsdatenblatt mit senkrechten Linien am linken Rand gezeigt. Entsprechender Text erscheint in einer anderen Farbe und in geschatteten Feldern.**