



Scoot Enduro

Fitting Guide



Thank you for choosing Scoot Enduros

It is important to ensure the fit is correct
before using your Enduros

Enduro Parts



You will need

- Clean flat surface (eg towel, cardboard, rubber mat)
- Phillips head screwdriver (minimum 20cm/8" length)
- Flat head screwdriver

Fitting

Undo the Front Straps and release the Mud Straps. Pull one Mud Strap side out of the Collar.



Slip the Enduro onto the hoof and check it is a snug fit. Fasten Front Straps and leave Mud Straps open.

Check Bulb Strap Tension

The Bulb Strap must sit firmly over the heel bulbs.



If not, remove the Enduro and adjust the rear screw positions using both screw drivers to tighten.



Underrun and High Heeled Horses


If the Bulb Strap is sitting too low you can either try the medium Bulb Strap (included in the accessories bag), or it can be lifted higher by inserting the Bulb Strap Extender.



Bulb Strap Extender


Low Heeled Horses or Rear Hooves

Enduros are designed for high heeled hooves, but may suit some horses with low heels. Ensure there is space between the base of the pastern and the Bulb Strap to prevent potential rubbing.



Clearance Zone

Alternatively the Bulb Strap can be removed and replaced with the Extender to support the position of the Mud Strap. This option is not recommended for extreme riding.



Mud Strap Fitting

- Bring the Mud Straps around the pastern and thread both through the Collar
- Slide the Mud Strap loops through the bottom Front Strap and secure the Front Strap on the Knob Hook
- Secure the top Front Strap making sure it sits over the Mud Straps
- Ensure the Collar is positioned above the Enduro
- Mud Straps should have a snug fit around the pastern
- There should be slight upward tension with the lower Front Strap



Mud Strap accessories include:

- The option of 3 different sized Mud Straps
- Mud Strap Sleeves to protect sensitive skin
- Enduro Gaiters for sensitive skin

Final Check

You may wish to cut excess length from the Bulb Straps once you have confirmed the fit is correct.

After you have ridden in the Enduros and you are satisfied with the Bulb Strap tension, you have the option of tightening the screws permanently with loctite or nail polish.

If not, it is important to check screws periodically to ensure they are still tight.

Not sure about the fit of your Enduro?

Please take photos of the fit from all angles and send them to us. Our fitting experts will evaluate the fit and provide you with further advice.

Email us at **sizing@scootboots.com**

Message us on facebook **@scootbootdownunder**

The Marigold Mud Strap



Brighten your Enduros with a touch of Marigold.
Visit scootboots.com or contact your local stockist
to see our full range of accessories.