ruukki
Building your tomorrow.

Profiled sheets and purlins

Accessories brochure

Content

Fasteners for load-bearing sheets 3–7
Fasteners for low profile & composite sheets, purlins and flashings 8–10
Sockets & drillbits 11
Sealants & fillers 12–13
Flashings 14
Other accessories 15



- **Product properties**
  Product name: **Screw S1H55025D06F5B 100 D009.A24303**
  Head: Hexagon
  Package size: 100 pcs

- **Material**
  Screw: Carbon steel
  Washer: No washer (Ø 15mm collar)
  Corrosion class: C2

- **Intended use**
  For fastening load-bearing sheets to structural steel, total material thickness ≤ 6mm.

- **Note**
  Self-drilling screw. Not water tight.
  Stock item.
  (SD6-H15-5,5X25)



- **Product properties**
  Product name: **Screw S1H63032D06T6B 100 D009.A36815**
  Head: Hexagon
  Package size: 100 pcs

- **Material**
  Screw: Carbon steel
  Washer: Ø 16mm carbon steel, sealant
  Corrosion class: C2

- **Intended use**
  For fastening load-bearing sheets to structural steel & purlins, total material thickness ≤ 6mm. Increased shear strength with thicker (1.5mm) sheets.

- **Note**
  Self-drilling screw. Non-stock item.
  (SD6-T16-6,3X32)



- **Product properties**
  Product name: **Screw S1H55028D06T6B 100 D009.A24302**
  Head: Hexagon
  Package size: 100 pcs

- **Material**
  Screw: Carbon steel
  Washer: Ø 16mm carbon steel, sealant
  Corrosion class: C2

- **Intended use**
  For fastening load-bearing sheets to structural steel & purlins, total material thickness ≤ 6mm.

- **Note**
  Self-drilling screw. Stock item.
  (SD6-T16-5,5X28)



- **Product properties**
  Product name: **Screw S5H55034D14T6B 100 D009.A23612**
  Head: Hexagon
  Package size: 100 pcs

- **Material**
  Screw: Carbon steel
  Washer: Ø 16mm carbon steel, sealant
  Corrosion class: C3

- **Intended use**
  For fastening load-bearing sheets to structural steel, total material thickness ≤ 14mm. Support material thickness ≥ 4mm.

- **Note**
  Self-drilling screw. Stock item.
  (SD14-T16-5,5X34)



- **Product properties**
  Product name: **Screw S3H55040D14S6B 100 D009.A23621**
  Head: Hexagon
  Package size: 100 pcs

- **Material**
  Screw: Stainless steel
  Washer: Ø 16mm stainless steel, sealant
  Corrosion class: C4

- **Intended use**
  For fastening load-bearing sheets to structural steel, total material thickness ≤ 12mm. Structural steel material thickness ≥ 4mm.

- **Note**
  Self-drilling screw. Stock item.
  (SX14-S16-5,5X40-A2)



- **Product properties**
  Product name: **Screw S3H63025TCS6B 100 D009.A23609**
  Head: Hexagon
  Package size: 100 pcs

- **Material**
  Screw: Stainless steel
  Washer: Ø 16mm stainless steel, sealant
  Corrosion class: C4

- **Intended use**
  For fastening load-bearing sheets and purlins to structural steel, total material thickness ≤ 12mm.

- **Note**
  Self-tapping screw, requires pre-drilling recommended drill bit EA2DB5860HSS. Stock item.
  (TDB-S-S16-6,3X25-A2)



- **Product properties**
  Product name: **Screw S3H63020TCS6B 100 D009.A23607**
  Head: Hexagon
  Package size: 100 pcs

- **Material**
  Screw: Stainless steel
  Washer: Ø 16mm stainless steel, sealant
  Corrosion class: C4

- **Intended use**
  For fastening load-bearing sheets and purlins to structural steel, total material thickness ≤ 6mm.

- **Note**
  Self-tapping screw, requires pre-drilling, recommended drill bit EA2DB5860HSS. Stock item.
  (TDB-S-S16-6,3X20-A2)



- **Product properties**
  Product name: **Screw S1H48025D03T6B 100 D009.A56612**
  Head: Hexagon
  Package size: 100 pcs

- **Material**
  Screw: Carbon steel
  Washer: Ø 15mm carbon steel, sealant
  Corrosion class: C2

- **Intended use**
  For fastening load-bearing sheets to purlin, total material thickness ≤ 3mm.

- **Note**
  Self-drilling screw. Stock item.
  (SD3-T16-4,8X25)



- **Product properties**
  Product name: **Screw S3H60029D03S6B 100 D009.A23615**
  Head: Hexagon
  Package size: 100 pcs

- **Material**
  Screw: Stainless steel
  Washer: Ø 16mm stainless steel, sealant
  Corrosion class: C4

- **Intended use**
  For fastening load-bearing sheets to purlin, total material thickness ≤ 3mm.

- **Note**
  Self-drilling screw. Stock Item.
  (SX3-S16-6X29-A2)



- **Product properties**
  Product name: **Screw S5H65050WT6B 100 D009.A23613**
  Head: Hexagon
  Package size: 100 pcs

- **Material**
  Screw: Carbon steel
  Washer: Ø 16mm carbon steel, sealant
  Corrosion class: C3

- **Intended use**
  For fastening load-bearing sheets to wood, total sheet thickness ≤ 3mm.

- **Note**
  Self-drilling screw. Stock item.
  (SW3-H15-T16-6,5X50)



- **Product properties**
  Product name: **Screw S3H55031D05S6B 100 D009.A23622**
  Head: Hexagon
  Package size: 100 pcs

- **Material**
  Screw: Stainless steel
  Washer: Ø 16mm stainless steel, sealant
  Corrosion class: C4

- **Intended use**
  For fastening load-bearing sheets to purlin, total material thickness ≤ 5mm.

- **Note**
  Self-drilling screw. Stock item.
  (SX5-S16-5,5X31-A2)



- **Product properties**
  Product name: **Spike S5R63051XB 100 D009.A37108**
  Package size: 100 pcs

- **Material**
  Screw: Carbon steel
  Washer: Ø 19mm stainless steel, sealant
  Corrosion class: C3

- **Intended use**
  For fastening load-bearing sheets & purlins to concrete, total sheet thickness ≤ 6mm.

- **Note**
  Spike, recommended drill bit EA2DB63160100SDS. Stock item.
  (DT-6,3X51)



- **Product properties**
  Product name: **Overlap screw S1H63020L02F5GALVB 100 D009.A23608**
  Head: Hexagon
  Package size: 100 pcs

- **Material**
  Screw: Carbon steel
  Washer: No washer (Ø 15mm collar)
  Corrosion class: C2

- **Intended use**
  For load-bearing sheets side & end overlapping total sheet thickness ≤ 2mm.

- **Note**
  Self-drilling screw. Not water tight. Stock item.
  (SL2-H15-6,3X20)



- **Product properties**
  Product name:
  Overlap screw S1H48020D02A4B GALV 100 D009.A13268

  Overlap screw S1H48020L02B 100* D009.A20669

  Head: Hexagon
  Package size: 100 pcs

- **Material**
  Screw: Carbon steel
  Washer: Ø 14mm carbon steel, sealant
  Corrosion class: C2

- **Intended use**
  For load-bearing sheets side & end overlapping total sheet thickness ≤ 2mm.

- **Note**
  Self-drilling screw. *Without washer. Stock item.
  (SL2-T-T14-4,8X20)



- **Product properties**
  Product name: **Overlap screw S3H55025L02S4B 100 D009.A57223**
  Head: Hexagon
  Package size: 100 pcs

- **Material**
  Screw: Stainless steel
  Washer: Ø 14mm stainless steel, sealant
  Corrosion class: C4

- **Intended use**
  For load-bearing sheets side & end overlapping total sheet thickness ≤ 2mm.

- **Note**
  Self-drilling screw. Stock item.
  (SL2-S-S14-5,5X25)



- **Product properties**
  Product name: **Overlap screw S1H63032L03F5GALVB 100 D009.A23611**
  Head: Hexagon
  Package size: 100 pcs

- **Material**
  Screw: Carbon steel
  Washer: No washer (Ø 15mm collar)
  Corrosion class: C2

- **Intended use**
  For load-bearing sheets side & end overlapping total sheet thickness 2.1 – 3.0mm.

- **Note**
  Self-drilling screw. Not water tight. Stock item.
  (SDM3-H15-6,3X32)



- **Product properties**
  Product name: **Overlap screw S3H60027L03S6B 100 D009.A36814**
  Head: Hexagon
  Package size: 100 pcs

- **Material**
  Screw: Stainless steel
  Washer: Ø 16mm stainless steel spring washer, no sealant
  Corrosion class: C4

- **Intended use**
  For load-bearing sheets side & end overlapping total sheet thickness ≤ 4.5mm.

- **Note**
  Self-drilling screw. Not water tight. Stock item.
  (SL3/2-5-S-SV16-6X27)



- **Product properties**
  Product name: **Overlap screw S1H63032L03S6GALVB 100 D009.A23614**
  Head: Hexagon
  Package size: 100 pcs

- **Material**
  Screw: carbon steel
  Washer: stainless steel 16 mm, sealant
  Corrosion class: C2

- **Intended use**
  For attaching a support stud on the sandwich panel surface.

- **Note**
  Self-drilling screw. No overlapping feature.
  Stock item.
  (SL3-H15-S16-6,3X32)



- **Product properties**
  Product name:
  Screw S1E42013GE 1000
  D009.A17982

  Screw S1E42013GRR20E 1000
  D009.A17983

  Head: Flat PH2
  Package size: 1000 pcs

- **Material**
  Screw: Carbon steel
  Washer: No washer
  Colours: Maalaamaton ja RR20
  Corrosion class: C2

- **Intended use**
  For fastening interior flashings load-bearing sheets.

- **Note**
  Self-drilling screw. Stock item.
  (BMS-4,2X13)
  (BMS-4,2X13-RAL9010)



- **Product properties**
  Product name: **Screw S1R48016D03B 100**
  D009.A23625
  Head: Flat square
  Package size: 100 pcs

- **Material**
  Screw: Carbon steel
  Washer: No washer
  Corrosion class: C2

- **Intended use**
  For fastening purlins together,
  total sheet thickness 2.7 – 4mm.

- **Note**
  Self-drilling screw. Requires a special socket RA0E466. Stock item.
  (SDL4-F-4,8X16-D)



- **Product properties**
  Product name: **Screw S3R48022D02A0D 500**
  Head: Torx T20
  Head: T20
  Package size: 500 pcs

- **Material**
  Screw: Stainless steel
  Washer: Ø 10mm stainless steel, sealant
  Corrosion class: C4

- **Intended use**
  For fastening flashings to load-bearing sheets.

- **Note**
  Self-drilling screw.
  (SL2-S-D9-A11-4,8X22)



- **Product properties**
  Product name: **Spike S5R48038XB 100**
  D009.A28692
  Package size: 100 pcs

- **Material**
  Screw: Carbon steel
  Washer: No washer
  Corrosion class: C3

- **Intended use**
  For fastening flashings to concrete.

- **Note**
  Spike, recommended drill bit EA2DB48110-50.
  Not water tight. Stock item.
  (DT-4,8X38)



- **Product properties**
  Product name:
  Farmer screw S1H48028WA4 GALVB 100

  Farmer screw S1H48028WA4RR__B 100

  Head: Hexagon
  Package size: 100 pcs

- **Material**
  Screw: Carbon steel
  Washer: Ø 14mm aluminum, sealant
  Colours: Maalaamaton, RR11, 20, 21, 22, 23, 24, 26, 29, 30, 31, 32, 33, 34, 35, 36, 37, 40, 41, 42, 43, 44, 45, 750
  Corrosion class: C2

- **Intended use**
  For fastening low profile sheets to wood.

- **Note**
  Self-drilling screw.



- **Product properties**
  Product name: **Screw S3H48035W02S4RR20C 250 D009.A38733**
  Head: Hexagon
  Package size: 250 pcs

- **Material**
  Screw: Stainless steel
  Washer: Ø 14mm stainless steel, sealant
  Colours: RR20
  Corrosion class: C4

- **Intended use**
  For fastening aluminum profiles to wood.

- **Note**
  Self-drilling screw. Stock item.



- **Product properties**
  Product name:
  Screw S3H48025D04S9.5B 100 D009.A18003

  Screw S3H48025D04S9.5RR20B 100 D009.A18004

  Screw S3H48025D04S9.5RR40B 100 D009.A18005

  Head: Hexagon
  Package size: 100 pcs

- **Material**
  Screw: Stainless steel
  Washer: Ø 9.5mm stainless steel, sealant
  Colours: Non-painted, RR20 and RR40
  Corrosion class: C3

- **Intended use**
  For fastening Design Tokyo S18 to support studs; total material thickness ≤ 4mm.

- **Note**
  Self-drilling screw. Non-stock item.
  (PIASTA DIN 7504-K A2/BI RUSPERT 4,8X25)
  (Screw 6K A2+RUSP 4,8X25+TIIV D=9,5MM RR20)
  (Screw 6K A2+RUSP 4,8X25+TIIV D=9,5MM RR40)



- **Product properties**
  Product name:
  Overlap screw S1H48023L02A4GALVB 100

  Overlap screw S1H48023L02A4RR__B 100

  Head: Hexagon
  Package size: 100 pcs

- **Material**
  Screw: Carbon steel
  Washer: Ø 14mm carbon steel, sealant
  Colours: RR11, 20, 21, 22, 23, 24, 29, 30, 31, 32, 33, 34, 35, 36, 40, 41, 44, 45, 750 ja non-painted (Zn)
  Corrosion class: C2

- **Intended use**
  For fastening flashings and low profiles to steel.

- **Note**
  Self-drilling screw.

- **Stock screws**

  *D009.A17870 Overlap screw S1H48023L02A4GALVB 100
  *D009.A20843 Overlap screw S1H48023L02A4RR11B 100
  *D009.A17871 Overlap screw S1H48023L02A4RR20B 100
  *D009.A20802 Overlap screw S1H48023L02A4RR21B 100
  *D009.A20803 Overlap screw S1H48023L02A4RR22B 100
  *D009.A17872 Overlap screw S1H48023L02A4RR23B 100
  *D009.A20804 Overlap screw S1H48023L02A4RR24B 100
  *D009.A20805 Overlap screw S1H48023L02A4RR29B 100
  *D009.A51874 Overlap screw S1H48023L02A4RR2H3B 100
  D009.A20830 Overlap screw S1H48023L02A4RR30B 100
  D009.A20831 Overlap screw S1H48023L02A4RR31B 100
  *D009.A20832 Overlap screw S1H48023L02A4RR32B 100
  *D009.A20833 Overlap screw S1H48023L02A4RR33B 100
  *D009.A20834 Overlap screw S1H48023L02A4RR34B 100
  *D009.A20806 Overlap screw S1H48023L02A4RR35B 100
  *D009.A20807 Overlap screw S1H48023L02A4RR36B 100
  *D009.A17873 Overlap screw S1H48023L02A4RR40B 100
  *D009.A17874 Overlap screw S1H48023L02A4RR41B 100
  *D009.A20810 Overlap screw S1H48023L02A4RR44B 100
  *D009.A35918 Overlap screw S1H48023L02A4RR45B 100
  *D009.A20829 Overlap screw S1H48023L02A4RR750B 100



- **Product properties**
  Product name: **Fastening CS48-36 FA64836 D009.A17457**
  Length: 78 mm (treaded part 60 mm)
  Diameter: 8mm (M8)
  Package size: 1 pcs

- **Material**
  Stainless steel (corrosion class C4)

- **Intended use**
  For suspending services from composite sheets.

- **Note**
  Stock item, M8 nut not included.
  (STEELCOMP-TAKH-66 mm)

- **Product properties**
  Product name: **Socket RA0E466**
  D009.A18137
  Package size: 1 pcs

- **Intended use**
  Socket for flat square screws S1R42015D03B 100 & S1R48016D03B 100 (Purlin screws).
  Stock item.
  (E466-1/4"-40)



- **Product properties**
  Product name: **Drill bit EA2DB48110-50**
  D009.A17387
  Diameter: 4.8 mm
  Length: 110/50mm
  Socket: SDS+
  Package size: 1 pcs

- **Intended use**
  For pre-drilling concrete, for Spike S5R48038XB 100.
  Stock item.
  (SDS-4,8X110/50-SP)



- **Product properties**
  Product name: **Drill bit EA2DB63160100SDS**
  D009.A36816
  Diameter: 6.3 mm
  Length: 160/100 mm
  Socket: SDS+
  Package size: 1 pcs

- **Intended use**
  For pre-drilling concrete, for Spike S5R63051XB 100.
  Stock item.
  (SDS-6,3X160/100-SP)

- **Product properties**
  Product name: **Drill bit for steel EA2DBS5860HSS**
  D009.A32307
  Diameter: 5.8 mm
  Length: 60 mm
  Socket: Round
  Package size: 1 pcs

- **Intended use**
  For pre-drilling steel, for self-tapping screws S3H63019TCS6B 100 and S3H63025TCS6B 100.
  Stock item.
  (HSS-5,8X60/31)



- **Product properties**
  Product name: **Screw seal. T130M EPDM RA3SP130M512 100 D009.A24306**
  Thickness: 5mm
  Outer Ø: 12mm
  Inner Ø: 5mm
  Package size: 100 pcs

- **Material**
  EPDM rubber

- **Intended use**
  Screw sealant for T130M.

- **Note**
  Standard screw washer with sealant is not water tight with T130M (micro profiled profile). This special seal is required.
  (5/12EPDM-1 WASHER L=5 MM 100PCS/PAC)



- **Product properties**
  Product name: **Sealing strip RA3SS 3x10 D009.A06097**
  Thickness: 3 mm
  Width: 10 mm
  Length: 25 m/roll
  Package size: 1 roll

- **Material**
  Closed-cell polyethylene plastic.

- **Intended use**
  Flashing sealant. Stock item.
  (AREPE30103864210)





- **Product properties**
  Product name: **Filler**
  Thickness: 30mm (T-profiles) 40mm (CS-profiles)
  Package size: 1 pcs

- **Material**
  Closed-cell polyethylene plastic.



- **Intended use**
  Filler sealant for low profile sheets, load-bearing sheets and composite sheets.

- **Note**
  Used together with closure flashings. Filler length is the same as module width of equivalent profile. Stock item.

Filler type	Code	Profile type
Filler T45-30 big RA3F4530B	D009.A00026	T45-30 (big filler)
Filler T45-60 small RA3F4560S	D009.A00048	T45-60 (small filler)
Filler T45-30E big RA3F4530EB	D009.A07543	T45-30E (big filler)
Filler T45-95E small RA3F4595ES	D009.A07544	T45-95 (small filler)
Filler T70-57L bit RA3F7057B	D009.A07545	T70-57L (Wide flange facing upwards)
Filler T70-65L small RA3F7065S	D009.A07546	T70-65L (Narrow flange facing upwards)
Filler T130M-75L big RA3F130M75B	D009.A20845	T130M-75L (Wide flange facing upwards)
Filler T130M-111L small RA3F130MS	D009.A20849	T130M-110L (Narrow flange facing upwards)
Filler T153-40L big RA3F15340B	D009.A20227	T157-40L (Wide flange facing upwards)
Filler T153-117L small RA3F153117S	D009.A17464	T157-117L (Narrow flange facing upwards)
Filler CS48-36 small CF3F4836S	D009.A07360	CS48-36-750 (small filler)
Filler CS48-36 big CF3F4836B	D009.A07361	CS48-36-750 (big filler)



- **Product properties**
  Product name: **T130M Acoustic infill for profile D009.A77001**
  Unit: 80 pcs, delivered in pallet
  Size: 130x150/70x1200mm
  Sufficiency: One Infill pallet is enough to covers 29 m² T130M profile installed on one side of the profile.

- **Material**
  Mineral wool, density 75kg/m³

- **Intended use**
  Fill for LBS empty cavities.
  Perforated LBS roof sound absorption coefficient α_w increase by 10% when used in upper or lower cavity as a set. Improvement of roof thermal insulation and fire properties too.

- **Note**
  Acoustic usage needs separate dust proof fabric (Scandinavian markets). Stock item.

  Consumption: 2.7 pcs for each T130M m².
  When installed above and below the T130M profile amount to be doubled.



- **Product properties**
  Product name:
  Filler Universal RA3FUNI40
  D009.A17469

  Filler Universal RA3FUNI50
  D009.A17470

  Height: 40 mm
  Width: 20 mm
  Length: 50 m/roll
  Package size: 1 m

- **Material**
  Closed-cell polyethylene plastic.

- **Intended use**
  General filler for load-bearing and low profile sheets ≤ 45mm height.

- **Note**
  Stock item.



- **Product properties**
  Product name: **T153 Acoustic infill for profile D009.A77002**
  Unit: 96 pcs, delivered in pallet
  Size: 150x138/40x1200mm
  Sufficiency: One Infill pallet is enough to covers 32 m² T153 profile installed on one side of the profile.

- **Material**
  Mineral wool, density 75kg/m³

- **Intended use**
  Fill for LBS empty cavities.
  Perforated LBS roof sound absorption coefficient α_w increase by 10% when used in upper or lower cavity as a set. Improvement of roof thermal insulation and fire properties too.

- **Note**
  Acoustic usage needs separate dust proof fabric (Scandinavian markets). Stock item.

  Consumption: 3 pcs for each T153 m².
  When installed above and below the T153 profile amount to be doubled.

- **Product properties**
  Product name: **Acoustic fabric, PET (106 m²/roll) D009.A77110**
  Unit: roll
  Width: 1060 mm
  Amount: 106 m²/100 m
  Weight: 5,5 kg /roll
- **Material**
  PET fabric, 50 g/m²

- **Intended use**
  Dust proofing for acoustic infills,

- **Note**
  Acoustic infills needs dust proofing when in contact with indoor air. Stock item.

Closure flashing, bent



Closure flashing, straight



- **Tuoteominaisuudet**
  Product name **Closure flashing T___**
  Material thickness 0.60 mm

- **Materials, coatings and colours**
  Continuously organic-coated steel (EN 10169)
  Polyester RR20

- **Intended use**
  For connections between panels and load bearing sheets.

- **Note**
  Stock item.

Closure flashing, straight	Code	width (mm)	A (mm)	Weight (kg/kpl)	KLoad bearing sheet
Closure flashing EA1CFT70-57L	D009.A19500	1058	67	0.39	T70-57L (Wide flange facing upwards)*
Closure flashing EA1CFT130M-75L	D009.A23631	930	128	0.86	T130M-75L (Wide flange facing upwards)*
Closure flashing EA1CFT153-40L	D009.A19499	840	151	0.62	T153-40L (Wide flange facing upwards)*
Closure flashing EA1CFT70-65L	D009.A19501	1058	67	0.39	T70-57L (Narrow flange facing upwards)*
Closure flashing EA1CFT130M-111L	D009.A23630	930	128	0.86	T130M-75L (Narrow flange facing upwards)*
Closure flashing EA1CFT153-117L	D009.A19498	840	151	0.62	T153-40L (Narrow flange facing upwards)*

Closure flashing, bent Effective	Code	width (mm)	A (mm)	Weight (kg/kpl)	KLoad bearing sheet
Closure flashing bent EA1CFT70-57LB	D009.A19500	1058	67	0.39	T70-57L (Wide flange facing upwards)*
Closure flashing bent EA1CFT130M-75LB	D009.A23631	930	128	0.86	T130M-75L (Wide flange facing upwards)*
Closure flashing bent EA1CFT153-40LB	D009.A19499	840	151	0.62	T153-40L (Wide flange facing upwards)*
Closure flashing bent EA1CFT70-65LB	D009.A19501	1058	67	0.39	T70-57L (Narrow flange facing upwards)*
Closure flashing bent EA1CFT130M-111LB	D009.A23630	930	128	0.86	T130M-75L (Narrow flange facing upwards)*
Closure flashing bent EA1CFT153-117LB	D009.A19498	840	151	0.62	T153-40L (Narrow flange facing upwards)*

*The explanations in brackets refer to the mounting direction of the load bearing sheet, that is, in the direction of the flange of the load bearing sheet, not the sealing strip.



- **Product properties**
  Product name: **Cast seam flashing LP-CSF**
  Length: 5000mm
  Package size: pcs

- **Material**
  Continuously hot-dip coated steel (EN 10346)
  Zinc coated Zn

- **Intended use**
  Edge form flashing for concrete pouring, used together with load-bearing sheets and composite sheets

- **Note**
  Non-stock item.

Flashing		Height (mm)	Thickness (mm)
Cast seam flashing LP-CSF100 1,20mm	D002.A05181	100	1.2
Cast seam flashing LP-CSF120 1,50mm	D002.A05182	120	1.5
Cast seam flashing LP-CSF150 2,00mm	D002.A05183	150	2.0
Cast seam flashing LP-CSF150R 2,00mm	D002.A05184	150	2.0
Cast seam flashing LP-CSF200 2,50mm	D002.A05185	200	2.5
Cast seam flashing LP-CSF200R 2,50mm	D002.A05186	200	2.5
Cast seam flashing LP-CSF80 1,00mm	D002.A05187	80	1.0



- **Product properties**
  Product name: **Safety anchor 113-153 RA6113153 D009.A17978**
  Package size: 1 safety anchor

- **Intended use**
  Safety anchor for Ruukki load-bearing sheets T130M-75L-930 and T153-40L-840. Provides a solid fixing point for life lines during construction phase.

- **Note**
  More detailed information in a separate user instructions. Stock item.



- **Product properties**
  Product name: **Andikondensationmass RA3ANT5 D009.A30564**
  Pakkauskoko: 5 kg

- **Intended use**
  For repairing anti-condensation surfaces.
  Stock item.

- **Note**
  Stock item.



- **Product properties**
  Product name: **Repair paint 0,33 L RA6RP033**
  Gloss: Semi-gloss
  Package size: 1 tin (0.33 l)
  Colours: RR11, 20, 21, 23, 29, 32, 33, 40, 41,42, 43, 44, 45, 750

- **Product properties**
  Product name: **Repair paint 30ml RA6RP0030**
  Gloss: Semi-gloss
  Package size: 1 tin (30 ml)
  Colours: RR24, 30, 31, 35, 37

- **Intended use**
  For re-painting scratched colour coated steels.

- **Note**
  *Stock item.

Color	Code
RR20*	D009.A07602
RR21	D009.A04667
RR23*	D009.A06155
RR29*	D009.A07607
RR2H3	D009.A77415
RR32*	D009.A06146
RR33*	D009.A04660
RR35	D009.A07611
RR40	D009.A06459
RR41	D009.A07614
RR42	D009.A07615
RR43	D009.A06167
RR44	D009.A07616
RR45	D009.A70401
RR750	D009.A06144

- **Product properties**
  Product name: **Repair paint matt 24ml**
  RA6RP0024M
  Gloss: Matt
  Colours: RR40, 41, 44, 45
  Package size: 1 bottle (24 ml)

- **Intended use**
  For touch-up painting of scratched colour coated steels.

- **Note**
  *Stock item.

Color	Code
RR40*	D009.A17932
RR41*	D009.A17933
RR44	D009.A17934
RR45*	D009.A17935

- **Product properties**
  Product name: **Repair paint matt 30ml**
  RA6RP0030M
  Gloss: Matt
  Colours: RR11, 20, 21, 22, 23, 29, 32, 33, 35, 750
  Package size: 1 bottle (30 ml)

- **Intended use**
  For touch-up painting of scratched colour coated steels.

- **Note**
  Stock item.

Color	Code
RR11	D009.A17936
RR20	D009.A17937
RR21	D009.A17938
RR22	D009.A17939
RR23	D009.A17940
RR29	D009.A17941
RR2H3	D009.A77416
RR32	D009.A17942
RR33	D009.A17943
RR35	D009.A24326
RR750	D009.A17944

We make steel-based products for walls and roofs, for both commercial buildings and private homes. We're a supplier of high-quality products, systems and solutions, developed sustainably and to live up to the highest demands on durability in harsh conditions.

CFI.005/EN/01.2024/LSB

This publication is accurate to the best of our knowledge and understanding. Although every effort has been made to ensure accuracy, the company does not assume any responsibility for any errors or decisions, or any direct, indirect or consequential damage caused by incorrect application of the this information. We reserve the right to make changes. Always see original standards for accurate comparison. For latest technical updates, please visit **www.ruukki.com.**

Ruukki Construction Oy, Panuntie 11, FI-00620 Helsinki,
+358 (0) 20 59 150, www.ruukki.com

Copyright© 2024 Ruukki Construction. All rights reserved. Ruukki and Ruukki's product names are trademarks or registered trademarks of Rautaruukki Corporation, a subsidiary of SSAB.