



TUTTI - ALL

MODELLI / MODELS
MODULA

MODELLI / MODELS
MODULA HD

NEW




MODULA

IDROPULITRICI STAZIONARIE PROFESSIONALI AD ACQUA FREDDA
PROFESSIONAL STATIONARY COLD WATER HIGH PRESSURE CLEANERS

MODULA - IDROPULTRICI STAZIONARIE PROFESSIONALI AD ACQUA FREDDA

- Pompe a bielle con pistoni in ceramica e testata in ottone
- Motore 1450 rpm
- Motore ad alto rendimento
- Protezione termica motore
- Sistema di protezione dell'accoppiamento alberi motore-pompa (SJ)
- Total stop ritardato (TSD) per i modelli Modula
- Controllo macchina ACDS2 per modelli HD
- Controllo perdite per modelli HD
- Spegnimento automatico per mancanza d'uso dopo 20 min per modelli HD
- LED segnalazione «macchina pronta» e «anomalia» per modelli HD
- Memorizzazione del tempo di utilizzo della macchina con segnalazione led al raggiungimento del periodo di manutenzione programmata per modelli HD
- Copertura metallica in acciaio AISI 430
- Manometro
- Filtro acqua ispezionabile
- Predisposizione per avvolgitubo (optional)
- Predisposizione per vaschetta acqua alimentazione (optional)
- Controllo mancanza acqua con flussostato per modelli MODULA HD
- Triplex plunger pump with three brass head
- 1450 rpm motor
- High efficiency motor
- Motor thermal protection
- Motor/pump coupling protection with special lubricant retention system (SJ)
- Delayed total stop (TSD) on Modula
- (ACDS2) Advanced Control Delayed Stop on models HD
- Micro leakage control on models HD
- Automatic shutdown if idle for more than 20 min on models HD
- Warning LED "machine ready" and "malfunction" on models HD
- Hour counter device with service alert warning led on models HD
- Metal frame with AISI 430 cover
- Pressure gauge
- Easy to inspect water filter
- Hose reel (optional)
- Predisposed for optional water tank with floating-valve
- "No water" control with flow switch for models MODULA HD



MODULA





MODULA HD




ACCESSORI IN DOTAZIONE / SUPPLIED ACCESSORIES


	N°	MOD.	COD.	DESCRIZIONE - DESCRIPTION
	1	Tutti - All	01AC052	Pres a Portagomma 3/4" Threaded tap adaptor 3/4"
	2	130/10	I50202	Ugello 1/4" M 25040 Nozzle 1/4" M 25040
		200/15 (HD) - 160/13	I50284	Ugello 1/4" M 25045 Nozzle 1/4" M 25045
		150/15	I50216	Ugello 1/4" M 2505 Nozzle 1/4" M 2505
		160/15 HD	I50205	Ugello 1/4" M 25055 Nozzle 1/4" M 25055
		180/18 HD	I50295	Ugello 1/4" M 25065 Nozzle 1/4" M 25065
	3	Tutti - All		Chiave Key

ACCESSORI A RICHIESTA/ ACCESSORIES ON DEMAND

KIT BASIC BASIC KIT	KIT PREMIUM PREMIUM KIT	KIT LUXURY LUXURY KIT
		
Mod. Tutti - All Tubo - Hose (R1) Cod. 01AC008 (01AC418(1) + 01AC319(2) + 01AC401(3))	Mod. Tutti - All Tubo - Hose (R1) Cod. 01AC009 (01AC422(1) + 01AC419(2) + 01AC401(3))	Mod. Tutti - All Tubo - Hose (R2) Cod. 01AC010 (01AC532(1) + 01AC554(2) + 01AC425(3))
AVVOLGITUBO DA PARETE 30m WALL HOSE REEL 30m	KIT UGELLO ROTANTE TURBO TURBO NOZZLE KIT	CONTROLLO REMOTO REMOTE CONTROL
		
Mod. Tutti-All Cod. 01AC064	Mod. Tutti-All Lancia-Lance (70 cm) Cod. 01AC514	Mod. Tutti-All kit controllo remoto Remote control kit Cod. 01AC062
	Mod. 160/15 HD Ugello-Nozzle (055) Cod. 01AC347	
	Mod. 130/10 Ugello-Nozzle (040) Cod. 01AC493	
	Mod. 200/15 (HD) - 160/13 Ugello-Nozzle (045) Cod. 01AC295	
	Mod. 150/15 Ugello-Nozzle (050) Cod. 01AC296	
	Mod. 180/18 HD Ugello-Nozzle (065) Cod. 01AC297	

MODULA - IDROPULTRICI STAZIONARIE PROFESSIONALI AD ACQUA FREDDA PROFESSIONALE STATIONARY COLD WATER HIGH PRESSURE CLEANERS

KIT GUARNIZIONI POMPA PER ALTA TEMPERATURA PUMP SEALS FOR HIGH TEMPERATURE	PIEDINI ANTIVIBRANTI RUBBER FEET	SUPPORTI SUPPORTS
		
Mod. Modula HD 15 e 20 lt Cod. B.PMVR00193	Mod. No mod. HD Piedini antivibranti per installazione a terra o su ripiano <i>Rubber feet for shelf or floor installation</i> Cod. B.KTSP00013	Mod. Tutti - All supporto inox - <i>stainless-steel support</i> Cod. 01AC446
Mod. Modula HD 18 lt Cod. B.PMVR00194		Mod. Tutti - All ripiano inox - <i>stainless-steel shelf</i> Cod. B.CRDS00815
		Mod. Tutti - All piastra aggancio rapido a parete - <i>bracket for quick mounting on wall</i> Cod. B.CRDS00814
KIT VASCHETTA ACQUA CON GALLEGGIANTE FLOATING VALVE WATER TANK KIT	UNITA' RISCALDANTE HEATING UNIT	SUPPORTO INOX STAINLESS STEEL RACK
		
Mod. Tutti - All Cod. 01AC063	Vedi pag 95 - <i>See page 95</i>	Mod. Tutti - All Cod. 01AC510



PESI E DIMENSIONI MACCHINA WEIGHTS AND DIMENSIONS MACHINE					IMBALLO PACKAGING			
MOD	A	B	C	Netto/Net	X	Y	H	Lordo/Gross
	[mm]	[mm]	[mm]	[kg]	[mm]	[mm]	[mm]	[kg]
MODULA 130/10	560	450	380	42	630	415	580	44
MODULA 160/13	560	450	380	57	630	415	580	59
MODULA 150/15	560	450	380	57	630	415	580	59
MODULA 200/15	560	450	380	57	630	415	580	59
MODULA HD 160/15	700	450	380	63	790	420	570	71
MODULA HD 180/18	700	450	380	64	790	420	570	72
MODULA HD 200/15	700	450	380	64	790	420	570	72

		130/10	160/13	150/15	200/15	160/15 HD	180/18 HD	200/15 HD
codice - code		● 01MOB010	● 01MOB200	● 01MOB300	● 01MOB500	● 01MOH200	● 01MOH600	● 01MOH400
pressione mas. - pressure max.	[bar] [MPa - psi]	130 13-1.880	160 13-1.880	150 15-2.180	200 20-2.900	160 16-2.300	180 18-2.600	200 20-2.900
portata mas. - flow rate max.	[lt/h]	600	780	900	900	900	1.080	900
pompa - pump		IP E2	IP E2	IP E2	IP E2	IP 47	IP 47	IP 47
sistema di arresto - stop system		TSD	TSD	TSD	TSD	ACDS2	ACDS2	ACDS2
rotazione pompa - speed pump	[rpm]	1.450	1.450	1.450	1.450	1.450	1.450	1.450
potenza assorbita max - max. absorbed power	[Kw]	2,9	4,1	4,4	5,5	4,8	6,2	5,9
alimentazione - supply voltage	[V - ph - Hz]	230-1-50	400-3-50	400-3-50	400-3-50	400-3-50	400-3-50	400-3-50
massima temp. aliment. - max. inlet temp.	[°C]	40	40	40	40	40	40	40