

4000011249

P-0005

Hearing-Protective Headset



DESCRIPTION


- Rugged headset for Industrial environments
- 10-meter cable and plug
- Low smoke and halogen free cable
- Excellent noise performance
- High attenuating ear shells
- CENELEC safety standards: EN 60079-0: 2012 + A11: 2013 & EN 60079-11: 2012
- IEC safety standards: IEC 60079-0: 2011, IEC 60079-11: 2011

The P-0005 is a hearing-protective headset for use together with the Command Intercom System (Talk-Back) substations in noisy environments. The headset is equipped with high attenuating shells with optimised acoustic design and excellent room for the ears for the best possible sound quality and comfort. The headset has a quick positioning noise-cancelling boom microphone.

SPECIFICATIONS

MECHANICAL	
Dimensions (HxW)	Approximately 230 x 125 mm
Weight	339 g without cable. 375 g with cable.
Cable	10-meter flexible durable cable
ELECTRICAL	
Termination	4-pin plug
Frequency Response	50Hz - 6KHz, 27 mm diameter.
Microphone	Dynamic, Noise Cancelling, -57+/-3dB (0dB=1V/pa 1 kHz), nom 230Ω
Earphone	150Ω+/-15%, 124dB+/-3dB, 600-1200Hz
ENVIRONMENTAL	
Temperature	-30°C to +60°C
Humidity	<90% humidity, -20+50°C
Ingress Protection Rating	IP-54 (when in use)
Attenuation Rating (HML)	H=31dB / M=26dB / L=20dB
Attenuation Rating (SNR)	29 dB

TECHNICAL DIMENSIONS



USED WITH

4000017572
P-9003

Substation for Headset



4000017576

P-9016

Substation for Speaker



4000017575

P-9011 PLUGBOX

