





ACP 15, Standard, single phase, manual gas ballast




Similar Image

ACP 15, Standard, single phase, manual gas ballast



Dimensions



Technical Data	ACP 15, Standard, single phase, manual gas ballast
Ambient temperature	12-40 °C 53.6-104 °F 285-313 K
Continuous inlet pressure, max.	1,013 hPa 759.75 Torr 1,013 mbar
Cooling	Air
Dimensions (L x W x H)	514 x 190 x 270 mm 20.24 x 7.48 x 10.63 inch
Flange (in)	DN 25 ISO-KF
Flange (out)	DN 16 ISO-KF
Helium leak rate, max.	$5 \cdot 10^{-8}$ Pa m ³ /s
Power consumption at ultimate pressure	450 W
Processes	Light Duty Applications
Pumping speed	14 m ³ /h
Pumping speed, max.	14 m ³ /h
Typical ultimate pressure	$3 \cdot 10^{-2}$ hPa $2.25 \cdot 10^{-2}$ Torr $3 \cdot 10^{-2}$ mbar
Typical ultimate pressure with gas ballast	$1 \cdot 10^{-1}$ hPa $7.5 \cdot 10^{-2}$ Torr $1 \cdot 10^{-1}$ mbar
Version	Standard
Water vapor capacity, max.	80 g/h
Weight	23 kg 50.71 lb

Order number	
ACP 15, Standard	V5SATSMFEF

Accessories	
External silencer ES 25 S	
External silencer ES 25 S, DN 25	109873
Inlet Particle Filter IPF 25	
Inlet particle filter IPF 25, DN 25	111649
Noise reduction cover NRC 15	
Noise reduction cover NRC 15, for ACP 15 pumps	111968
Sound enclosure kit SEK 15	
Sound enclosure kit SEK 15, for ACP 15 pumps	122480

VACUUM SOLUTIONS FROM A SINGLE SOURCE

Pfeiffer Vacuum stands for innovative and custom vacuum solutions worldwide, technological perfection, competent advice and reliable service.

COMPLETE RANGE OF PRODUCTS

From a single component to complex systems:

We are the only supplier of vacuum technology that provides a complete product portfolio.

COMPETENCE IN THEORY AND PRACTICE

Benefit from our know-how and our portfolio of training opportunities!

We support you with your plant layout and provide first-class on-site service worldwide.

Are you looking for a
perfect vacuum solution?
Please contact us:

Pfeiffer Vacuum GmbH
Headquarters · Germany
T +49 6441 802-0
info@pfeiffer-vacuum.de

www.pfeiffer-vacuum.com

All data subject to change without prior notice.