




**He calibrated leak, leak rate  
between 1 and  $3 \cdot 10^{-8}$  mbar l/s,  
aluminium reservoir, DN 25 ISO-  
KF**

**He calibrated leak, leak rate between  $1$  and  $3 \cdot 10^{-8}$  mbar l/s,  
aluminium reservoir, DN 25 ISO-KF**

#### Dimensions



#### Order number

He calibrated leak, leak rate between  $1$  and  $3 \cdot 10^{-8}$  mbar l/s

**F04810**

## VACUUM SOLUTIONS FROM A SINGLE SOURCE

Pfeiffer Vacuum stands for innovative and custom vacuum solutions worldwide, technological perfection, competent advice and reliable service.

## COMPLETE RANGE OF PRODUCTS

From a single component to complex systems:

We are the only supplier of vacuum technology that provides a complete product portfolio.

## COMPETENCE IN THEORY AND PRACTICE

Benefit from our know-how and our portfolio of training opportunities!

We support you with your plant layout and provide first-class on-site service worldwide.

Are you looking for a  
perfect vacuum solution?  
Please contact us:

Pfeiffer Vacuum GmbH  
Headquarters · Germany  
T +49 6441 802-0  
info@pfeiffer-vacuum.de

[www.pfeiffer-vacuum.com](http://www.pfeiffer-vacuum.com)

All data subject to change without prior notice.