

OMNIA 4 DRY

SKU: 019000OM4DRY



Buffé med statisk uppvärmning genom hög verkningsgrad i luft och bepansrat torrt värmeelement. Temperaturen ställs in av en digital termostat. Brunnan är försedd med sidostöd för kastruller, två avdelare och av en avloppskran för att underlätta rengöringen. Struktur i rostfritt stål tillgänglig med standard träpanel eller överlackering (SPP), rostfri stålpanel (SST) eller pulverlackerad panel (CST). Utrustad med justerbara fötter som kan maskeras av en golvlist. Max höjd 150 mm. Kapacitet 4 GN 1/1, GN-pannor ingår ej.

GN





4 GN 1/1 upp till h.200


2000 W

Höjjusterbara fötter

Lätt att ta bort paneler



OMNIA DRY	A1 mm	A2 mm	Lv mm
OMNIA 2 DRY	846	692	608
OMNIA 3 DRY	1171	1017	933
OMNIA 4 DRY	1496	1342	1258
OMNIA 5 DRY	1821	1667	1583



Pannellatura/Paneling

STANDARD



SST



CST



SPP



LAMINERT TRÄ

ROSTFRITT STÅL

PULVERBELAGAT
STÅL

OVERPANELING

Optional/Options

VÄLJA. 3 SV



Laminated wood folding dish-holder on short side

3-SST



Full metal st. steel dish-holder on short side

VÄLJA. 3-TUB EN



Tube st. steel dish-holder on short side

6F



Front side folding dish-holder in laminated wood

6P



Back side folding dish-holder in laminated wood

7F



Front foldable tray slide in stainless steel tube

7P



Back foldable tray slide in stainless steel tube

8F-O4



Front foldable tray slide in stainless steel

8P-O4



Back foldable tray slide in stainless steel

VÄLJA. 9-A EN



Removable long tray slide on short side in laminated wood

VÄLJA. 9-TUBA EN



Removable long tray slide on short side in stainless steel tube

VÄLJA. 9-SSTA EN



Removable long tray slide on short side in stainless steel

VÄLJA. 9-C EN



Removable tray slide on short side in laminated wood, for wall leaning

VÄLJA. 9C-TUBA SV



Removable tray slide on short side in stainless steel tube, for wall leaning

VÄLJA. 9C-SSTA EN



Removable tray slide on short side in stainless steel, for wall leaning

4-O4C



Lower compartment with doors in laminated wood

4SST-O4C



Lower compartment with doors in stainless steel

4CST-O4C



Lower compartment with doors in powder coated

VÄLJA. 5 SV



Removable display grid

R75



Polyamide 75mm. diam castors, 2 with brake

VÄLJA. 10 SV



Reinforced 125mm.
diam steel castors, 2
with brake

VÄLJA. ADS EN



Customized adhesive
sticker

VÄLJA. UK EN



Surcharge for UK plug

RÖR



Ceiling plug adaptor
with tubular prolongue

VÄLJA. 45CUT EN



45° cut for optional
6/7/8

DIST/G



Stainless steel
dividers GN 1/1

DIST/M



Stainless steel
dividers GN 1/2

Finiture/Finishes

LAR - SILVER




SILVER

LRS - ROSE



STANDARD - LAMINATED WOOD

LZA - SAFFRON



STANDARD - LAMINATED WOOD

LIM - LIME



STANDARD - LAMINATED WOOD

LSK - SKY



SKY

LOC - OCEAN



OCEAN

LER - IVY



IVY

LSV - SAGE



SAGE

LCP - CAPPUCCINO




CAPPUCCINO

LTC - CLAY



CLAY

LGR - GREY



STANDARD - LAMINATED WOOD

LNI - NIAGARA



NIAGARA

LBV - VEINED WHITE



STANDARD - LAMINATED WOOD

LWS - WHITE SAND



WHITE SAND

LBE - BIRCH



STANDARD - LAMINATED WOOD

LNE - GREY FOG



STANDARD - LAMINATED WOOD

LOM - ELM



STANDARD - LAMINATED WOOD

LNO - WALNUT



STANDARD - LAMINATED WOOD

LWE - WENGE'



STANDARD - LAMINATED WOOD

LAN - ANTHRACITE




STANDARD - LAMINATED WOOD

LNV - VEINED BLACK



STANDARD - LAMINATED
WOOD

RAL 9010 - PURE WHITE




PURE WHITE

RAL 9006 - ALLUMINIUM




ALLUMINIUM

RAL 7037 - GREY




GREY

RAL 9005 - MATTE BLACK



MATTE BLACK

RAL 8017 - CHOCOLATE



CHOCOLATE