

OMNIA 2 PR

SKU: 017000OM2PR



Buffet with refrigerated HANEX® countertop, a high quality composite material suitable for contact with food since non-porous and HACCP safe. Stainless steel structure with wooden paneling. The all-around stainless steel frame creates a 3cm cold-containment edge. Static refrigeration powered by a compressor unit supplied by R290 gas. Shelf temperature regulated by digital thermostat.

GN

230V



2 GN 1/1

352 W


Height adjustable feet



Easy to remove paneling



	A1	A2	Lv
2/1	846	650	283
3/1	1171	975	608
4/1	1496	1300	933
5/1	1821	1625	1258



Pannellatura/Paneling

STANDARD EN



SST EN



CST EN



LAMINATED WOOD

STAINLESS STEEL

POWDER COATED
STEEL

Optional/Options

LED-02



Upper structure with LED lighting

G1-02



Straight glass sneeze-guard (one side)

G2-02



Inclined glass sneeze-guard (one side)

G3-02



Closed sneeze-guard for assisted service

opt. 3



Laminated wood folding dish-holder on short side

3-SST



Full metal st. steel dish-holder on short side

3-TUB



Tube st. steel dish-holder on short side

6F-02



Front side folding dish-holder

6P-02



Back side folding dish-holder in laminated wood

7F-02



Front foldable tray slide in stainless steel tube

7P-02



Back foldable tray slide in stainless steel tube

8F-02



Front foldable tray slide in stainless steel

8P-02



Back foldable tray slide in stainless steel

9-A



Removable long tray slide on short side in laminated wood

9-TUBA



Removable long tray slide on short side in stainless steel tube

9-SSTA



Removable long tray slide on short side in stainless steel

9-C



Removable tray slide on short side in laminated wood, for wall leaning

9C-TUBA



Removable tray slide on short side in stainless steel tube, for wall leaning

9C-SSTA



Removable tray slide on short side in stainless steel, for wall leaning

4-O3F



Lower compartment with doors in laminated wood

4SST-O3F



Lower compartment with doors in stainless steel

4CST-O3F



Lower compartment with doors in powder coated

OPT. 5



Removable display grid

R75



Polyamide 75mm. diam castors, 2 with brake

10



Reinforced 125mm. diam steel castors, 2 with brake

OPT. ADS



Customized adhesive sticker

UK



Surcharge for UK plug

45CUT



45° cut for optional 6/7/8

HZ6



Compressor 60Hz

Finiture/Finishes

LWS - WHITE SAND



WHITE SAND

LNE - GREY FOG



STANDARD - LAMINATED
WOOD

LOM - ELM



STANDARD - LAMINATED
WOOD

LNO - WALNUT



STANDARD - LAMINATED
WOOD

LWE - WENGÉ'



STANDARD - LAMINATED
WOOD

LAN - ANTHRACITE



STANDARD - LAMINATED
WOOD

LBV - VEINED WHITE




STANDARD - LAMINATED
WOOD

LVN - VEINED BLACK



STANDARD - LAMINATED
WOOD

LGR - GREY




STANDARD - LAMINATED
WOOD

LRS - ROSE



STANDARD - LAMINATED
WOOD

LZA - SAFFRAN



STANDARD - LAMINATED
WOOD

LIM - LIME



STANDARD - LAMINATED
WOOD

LCA - CARIBE



STANDARD - LAMINATED
WOOD

LTR - TRAVERTINE



STANDARD - LAMINATED
WOOD