

OMNIA 2 BM

SKU: 017000M2BM



Bain-marie heated buffet with a stainless steel structure with laminated wood paneling and adjustable feet with skirting board. It is equipped with a 26cm deep stainless steel well with rounded edges with a drain cock and heated by silicone adhesive elements. Well temperature regulated by digital thermostat.

Each module can be configured with different types of lighting, sneezeguard, tray holders among with many other optionals. Capacity 2 GN 1/1. GN pans not included.

GN





2 GN 1/1


1503W (1003W with opt. HALO)

Height adjustable feet

Easy to remove paneling



	A1	A2	Lv
2/1	846	692	608
3/1	1171	1017	933
4/1	1496	1342	1258
5/1	1821	1667	1583



Pannellatura/Paneling

SST EN



CST EN



STAINLESS STEEL

POWDER COATED
STEEL

Optional/Options

LED-02



Upper structure with LED lighting

HALO-02



Upper structure with halogen heating lamps

HALOLED-02



Upper structure w/halogen heating lamps LED lighting

G1-02



Straight glass sneeze-guard (one side)

G2-02



Inclined glass sneeze-guard (one side)

G3-02



Closed sneeze-guard for assisted service

opt. 3



Laminated wood folding dish-holder on short side

3-SST



Full metal st. steel dish-holder on short side

3-TUB



Tube st. steel dish-holder on short side

6F-02



Front side folding dish-holder

6P-02



Back side folding dish-holder in laminated wood

7F-02



Front foldable tray slide in stainless steel tube

7P-02



Back foldable tray slide in stainless steel tube

8F-02



Front foldable tray slide in stainless steel

8P-02



Back foldable tray slide in stainless steel

9-A



Removable long tray slide on short side in laminated wood

9-TUBA



Removable long tray slide on short side in stainless steel tube

9-SSTA



Removable long tray slide on short side in stainless steel

9-C



Removable tray slide on short side in laminated wood, for wall leaning

9C-TUBA



Removable tray slide on short side in stainless steel tube, for wall leaning

9C-SSTA



Removable tray slide on short side in stainless steel, for wall leaning

4-O2C



Lower compartment with doors in laminated wood

4SST-O2C



Lower compartment with doors in stainless steel

4CST-O2C




Lower compartment with doors in powder coated

HOT-2



Lower compartment with fan-assisted heating, with doors in stainless steel

PHOT-2



Middle shelf for lower heated compartment in stainless steel

CAM




Water filling system with overflow pipe

SCAM



Drain water system for CAM

OPT. 5



Removable display grid

GR1



Extra wire steel grid dim. 1GN1/1

R75



Polyamide 75mm. diam castors, 2 with brake

10



Reinforced 125mm. diam steel castors, 2 with brake

OPT. ADS



Customized adhesive sticker

UK



Surcharge for UK plug

SCHUKO



Schuko plug with lid

TUBE



Ceiling plug adaptor with tubular prolongue

45CUT



45° cut for optional 6/7/8

Finiture/Finishes

LWS - WHITE SAND



WHITE SAND

LNE - GREY FOG



STANDARD - LAMINATED
WOOD

LOM - ELM



STANDARD - LAMINATED
WOOD

LNO - WALNUT



STANDARD - LAMINATED
WOOD

LWE - WENGÉ



STANDARD - LAMINATED
WOOD

LAN - ANTHRACITE



STANDARD - LAMINATED
WOOD

LBV - VEINED WHITE




STANDARD - LAMINATED
WOOD

LVN - VEINED BLACK



STANDARD - LAMINATED
WOOD

LGR - GREY




STANDARD - LAMINATED
WOOD

LRS - ROSE



STANDARD - LAMINATED
WOOD

LZA - SAFFRAN



STANDARD - LAMINATED
WOOD

LIM - LIME



STANDARD - LAMINATED
WOOD

LCA - CARIBE



STANDARD - LAMINATED
WOOD

LTR - TRAVERTINE



STANDARD - LAMINATED
WOOD