

Assembly Instructions



BAR COUNTER

BMWE3101562S




2026-08-21




If something is broken and needs replacing, or if you have questions, please contact us at Senab Concept at bmwgroup.distribution@senab.com

CONTACT INFO: bmwgroup.distribution@senab.com

Bar Counter


Quantity	Art.No	Description	Picture
2	BMWE3101536S	End element left/right	
1	BMWE3102522S	Front module 2400mm	
1	BMWS00096	Bar counter top	
1	BMWE3101555S	Wooden top 2400mm	
1	BMWS00097	Plinth	
1	BMWE3101558S	Bar counter sideboard with three drawers	
1	BMWE3101559S	Bar counter sideboard with trash and cutlery drawer	


Bar Counter

Quantity	Art.No	Description	Picture
1	BMWE3101557S	Bar counter sideboard with two drawers	
1	BMWE3101556S	Bar counter sideboard with door	
1	BMWS00157	Screw kit bar counter	
1	BMWS00102	Transformer for LED 60W	

Bar Counter


1






Bar Counter


2



Bar Counter

3






Bar Counter

4

X6




Bar Counter

5


X6







Bar Counter

6








Bar Counter

7

REMOVE THE FRONTS




Bar Counter

8

Secure the cabinets to the front element




X16



Bar Counter

9




bmwgroup.distribution@senab.com

Bar Counter

10




Secure the top



Bar Counter


11




Placement of transformer

Bar Counter


12



SNAP THE PLINTH TO PLACE



Bar Counter



bmwgroup.distribution@senab.com

Bar Counter


Kitchen Appliances Integration
If a kitchen appliance is required, replace the designated cabinet module with the chosen appliance. The installer is responsible for verifying that the appliance dimensions, ventilation requirements, and installation clearances are compatible with the compartments maximum allowable dimensions before installation.

Any required openings for water supply, drainage, electrical connections, ventilation, or utility routing must be created by the installer based on the appliance manufacturer's specifications. All plumbing and electrical installations shall be carried out in accordance with applicable local regulations and standards.

Where applicable, the supplied cabinet door/front panel may be mounted directly onto the appliance using the appliance manufacturer's fixing system and installation instructions. Proper alignment and adjustment of the front panel are required to ensure correct operation of both the appliance and the cabinet assembly.

Failure to verify appliance compatibility, installation clearances, and service connections may result in impaired functionality or damage to the cabinet and appliance.

Inner dimensions
W: 600mm
H: 861mm
D: 737mm



Reuse the plinth