

Simplicity and space-saving design combined with functionality.



TECH SPEC

- Equipped with electrically elevated SLIM chair (available in black upholstery only)
- Convenient chair height adjustment switch on the table top
- V-shape, fixed height, non-extendable table top for 2 instruments, with optional universal chin rest adapter
- ALU post suitable for installation of both, chart projector and PA-1000 phoropter arm (option)
- Table top electromagnet lock switch hidden under the auxiliary table top
- Efficient, foldable and revolving LED lamp with a manual switch
- Right-handed setup as a standard, left-handed available upon order or during on-site installation
- Side casings and table top painted in RAL7047
- Front casing and auxiliary table top painted in RAL7024
- Steel base powder coated in RAL7024 EU Declaration of Conformity provided



UNIQ with SLIM chair (right-handed setup)



Left-handed setup*



CBS-1000*



C-13 sockets




Chair height adjustment switch



Table top electromagnet lock switch




PA-1000*



Pivotal arm with trial lenses tray and cassette*/**



LED lamp switch



Alu post extension



Chart projector shelf*



Chin rest adapter

*- optional feature

**-. PL-232/BR-260 Trial Lens Set – optional feature

OPTIONAL EXTRAS

In order to provide the most competitive prices the number of optional features has been limited:

- Footrest for SLIM chair - n/a
- COMFORT chair – n/a
- PA-1000 counterbalanced phoropter arm equipped with a gas spring
- PA-3000 - n/a
- Elevated table top – n/a
- Customised main body colours - n/a
- Customised upholstery colours - n/a
- Pivotal arm with trial lenses tray and cassette
- Chart projector shelf
- Left-handed setup (factory preset or upon on-site installation)
- CBS-1000 Control Box Stand
- Ophthalmoscope/retinoscope rack
- Universal chin rest adapter

Dimensions	SLIM CHAIR
Width	1 145mm
Depth	1 100 - 1 610mm (±10)
Height	1 630mm
Chair height working range	430 - 630mm (±5)
Table top dimensions	W 944/900/735mm x D 445/410/445mm
Table top height (fixed)	861mm
Table top working range (height adjustable)	n/a

Technical specification

Supply voltage*	~100 - 240V AC, 50/60Hz
Power	280VA
LED lamp power	9W
Power supply cord	3m with UniSchuko plug
Max. table top load	50kg
Max. chair load	150kg
Max. power of devices connected to 2x C-13 sockets	450VA
Packaging	1 pallet, 120x80x160cm, ca. 150kg (gross)

*- The power supply can support both 100VAC and 240VAC power sources. Voltage value detection build-in.

UNIQ WITH SLIM CHAIR

