

Low Noise Power Adjustable Ultrasonic Cleaner Bath Machine with Degas and Sweep function (Capacity is available from 1.3 liter to 45 liter)

TUC SERIES



Product Description

- With large LCD display to show the precise time, temperature , power level
- Time setting with 1-99 minutes and built-in heating to 60°C , adjustable power range of 10%~100%.
- Built-in “sound insulation paste” keep this series with low noise
- With sweep function & degas function
- Humanized carrying handle and drain valve for whole models
- Memory function will automatically save the most recently used setup parameters for next use.
- With sleeping mode to keep electrical energy saving

- | | |
|--------------------|------------------|
| ◆ Adjustable power | Heating function |
| ◆ Low noise | Adjustable time |
| ◆ Sweep function | Memory function |
| ◆ Degas function | Sleeping mode |

Specification

Ultrasonic Frequency	40KHz
Capacity	1.3L to 45L
Ultrasonic Power level	10%~100% ultrasonic power is adjustable (step by 10%)
Tank Material	SUS304
Power Supply	AC110~120V, 50 / 60Hz or AC220~240V, 50 / 60Hz
Timer Setting	1-99 mins
Heating temp	Ambient~60°C

Different model (capacity) in this series

Model	Tank Capacity	Tank Size	Unit Size	Ultrasonic Power(Max.) [power is adjustable]	Heating Power (Max.)
TUC-13	1.3L	150*135*65MM	180*165*205MM	70W	100W
TUC-20	2L	150*135*100MM	230*232*298MM	70W	100W
TUC-32	3.2L	240*135*100MM	265*165*235MM	120W	100W
TUC-48	4.8L	240*135*150MM	265*165*285MM	120W	100W
TUC-45	4.5L	300*150*100MM	330*180*260MM	180W	200W
TUC-65	6.5L	300*150*150MM	330*180*310MM	180W	200W
TUC-70	7L	300*240*100MM	330*270*260MM	240W	500W
TUC-100	10L	300*240*150MM	330*270*310MM	240W	500W
TUC-150	15L	330*300*150MM	360*330*330MM	360W	500W
TUC-200	20L	330*300*200MM	360*330*380MM	360W	500W
TUC-220	22L	500*300*150MM	530*330*340MM	480W	500W
TUC-300	30L	500*300*200MM	530*330*390MM	600W	500W
TUC-450	45L	500*300*300MM	530*330*490MM	720W	1000W



TUC Series capacity is available from 1.3L to 45L

Humanized Design - Low Noise Ear Friendly



 V Special Technology Makes Noise Low

 Sweep function &  Degas function

Sweep function : make the cleaning process is more evenly and more thoroughly

Degas function : make the cleaning process more efficiently and more quickly



SWEEP

Automatic Sweep Frequency Makes Cleaning Better



DEGAS

Remove dissolved gases from liquids and accelerate cleaning process



Flexible Design - Adjustable Power Time & Heating Temperature

Adjustable Power

Power is adjustable from 10% ~ 100% and each press adjusts power level by 10%



Adjustable Time: 1 ~ 99 minutes


Time is adjustable from 1 ~ 99 minutes and each press adjusts time by 1 minute



Adjustable Heating Temperature

Heating Temp. is adjustable from ambient ~ 60°C and each press adjusts temperature by 1°C

Large LCD display



Package



1×ultrasonic cleaner
1×SUS cleaning basket
1×SUS lid

1×power cord
1×English user manual
1×carton box

Application Range



Lab applications



Industrial applications



Auto parts applications



Dental/Medical applications



Electronic applications



Jewelry applications

Which items can be cleaned by our ultrasonic cleaner?

- Household filed Clean jewelry, glass ,watch, dentures, fruit and vegetables, baby bottle and toys, tableware,cosmetic brush ...
- Laboratory filed Clean test tube, beaker, other lab apparatus...
- Medical and dental clinic Dental hand piece, dental needle , dental drill,false tooth , forceps...
- Industrial filed Clean engine parts, injector,air cylinder, mould , blind window, sieve, filter elements PCB board, hardware, screw and nut, bullet shell ...