



S-BAR DACIA DUSTER 22-

Art nr: S900199
Monteringssats: 93593




Installation

Infästningen monteras i befintliga hål som
borras upp till Ø7mm.






QPAX AB® Pellvägen 4, S-827 63 Färila
Telefon: +46(0)651-760 460 | E-post: info@qpax.se | qpax.se



Ø4mm -> Ø7mm (8x)





Tectyl





A (1 : 3)



12	8	Skruv MRT-TT	M6x12	34097
10	4	Vagnsbult	M10x25	34135
9	4	Mutter M10 Locking	M10 Lås	34205
8	4	Bricka M10 bred	11x28x2	34306
7	8	Bricka Nordlock M6	M6	34325
6	4	Montagevinkel S-BAR Duster 23-	40x40x5	101228
5	8	Blindnit	4,8x16 Ø10	32210
4	4	S-BAR fäste	T=4	101095
3	2	Dekal QPAX	54x17	60325
2	4	Ändavslutning Rund	Ø60	50931
1	1	S-BAR	Ø60x3,5	SD-152
Pos	Ant	SMST Titel	Dimension	Artikel nr/Referens

Konstr.	Ritad	Kop.	Kontr.	Stand.	Godk.	Skala	Ersätter	Ersatt av
JNO	JNO					1 : 6		
Där ej annat anges, gäller SS-ISO 2768 - C och SMS 723 - B. Sveriskvalité för avsear enligt SS - ISO 8617 nml C.								
S-BAR			Dacia Duster 22-			Filnamn		
HB 2673mm			93593.idw			Datum		
			Art. nr			2023-08-24		
			Rev			93593		
			A					



Tel: +46 (0)61-760 460 Mail: info@qpax.se