


Modulate Straight Frames

Modulate 1820 and 1824 (Straight)


Aug 2018



PARTS (NOT TO SCALE)

1820 Straight


Vertical Poles




Vertical Centre Poles




Horizontal Support Poles



Bottom Horizontal Poles




Top Horizontal Poles




Vertical Centre Pole



Radius Top Corner Sections



Feet



Gloves




Optional Half Feet






NOT SUPPLIED WITH KIT AND THEY ARE SOLD SEPARATELY

1824 Straight

Optional Extension poles (x3)




NOTE: The extension poles are used for 1824 Curved frames







1





2




3




4




5



6




7




TURN

8



Turn clockwise to lock foot in position
Turn anti-clockwise to unlock foot



NOTE: Sticker on base of foot shows the directions for locking/unlocking foot

NOTE: TWO POSITIONS FOR THE FEET (SEE OPTION 1 FOR SECOND POSITION)


Modulate Straight frames

Modulate 1820 and 1824 (Straight)

Aug 2018





8



NOTE: Adjustable feet can be used to level frame







OPTIONAL (EXTENSION KIT)

NOTE: EXTENSION SECTION SUPPLIED WITH 1824 FRAME



OPTIONAL (HALF FEET)

OPTION 1 NOTE: HALF FEET CAN BE POSITIONED ONTO THE FRAME TWO DIFFERENT WAYS




Turn clockwise to lock foot in position
Turn anti-clockwise to unlock foot




OPTION 2



1




2



3





Turn clockwise to lock foot in position
Turn anti-clockwise to unlock foot



CONNECTING MULTIPLE FRAMES

NOTE: SECOND FRAME (820 STRAIGHT NOT INCLUDED)



Remove one foot from second frame and align both frames on one foot

NOTE: FOLLOW OPTION 2 FOR HALF FEET TO CONNECT TWO FRAMES ON ONE FOOT

1824 (With Extension) Straight Frame and 820 Straight Frame