


Modulate Straight Frames

Modulate 820 and 824 (Straight)


Aug 2018



PARTS (NOT TO SCALE)

820 Straight

Vertical Pole Sections




Bottom Horizontal Pole




Support Pole




Radius Top Corner Sections



Top Horizontal Pole



Feet



Gloves




Optional Half Feet






NOT SUPPLIED WITH KIT AND
THEY ARE SOLD SEPARATELY



824 Straight

Extension poles (x2)



NOTE: The extension poles are
used for 824 Straight frames





Turn clockwise to lock foot in position
Turn anti-clockwise to unlock foot



NOTE: Sticker on base of foot shows the directions for locking/unlocking foot

NOTE: TWO POSITIONS FOR THE FEET (SEE OPTION 1 FOR SECOND POSITION)







OPTIONAL (EXTENSION KIT)

NOTE: EXTENSION SECTION SUPPLIED WITH 824 STRAIGHT FRAME




OPTIONAL (HALF FEET)

OPTION 1 **NOTE: HALF FEET CAN BE POSITIONED ONTO THE FRAME TWO DIFFERENT WAYS**



Turn clockwise to lock foot in position
Turn anti-clockwise to unlock foot



Modulate Straight Frames


Modulate 820 and 824

Aug 2018




OPTION 2

1





2

TURN




3

Foot is located outside the frame



Turn clockwise to lock foot in position
Turn anti-clockwise to unlock foot




CONNECTING MULTIPLE FRAMES

NOTE: 824 STRAIGHT NOT INCLUDED





Remove one foot from second frame and align both frames on one foot

NOTE: FOLLOW OPTION 2 FOR HALF FEET TO CONNECT TWO FRAMES ON ONE FOOT

1



2



824 Straight Frame and 820 Straight Frame